Medical
QD.5
B595
T
v.123
1971

BIJOA

THE UNIVERSITY OF MICHIGAN
MAY 17 1971
MEDICAL LIBRARY

Index to Volume 123

The Biochemical Journal

Editorial Board

D. G. Walker (Chairman)
D. S. Robinson (Deputy Chairman)
M. J. Crumpton (Deputy Chairman)
H. B. F. Dixon (Deputy Chairman)
R. H. Burdon
R. A. Cox
J. E. Cremer
A. R. Crofts
N. M. Green*
B. S. Hartley
K. M. Jones
J. D. Judah
A. E. Kellie
J. R. Knowles
U. E. Loening
P. N. Magee
D. J. Manners
R. D. Marshall
P. A. Mayes
J. H. Moore
C. J. O. R. Morris
K. Murray
A. C. T. North*
D. V. Parke
C. A. Pasternak
R. N. Perham
H. R. Perkins
G. K. Radda
R. Rodnight
J. R. Tata
P. K. Tubbs
D. C. Watts
F. R. Whatley

Editorial Secretary: J. D. Killip
*Nominated by the British Biophysical Society

The Biochemical Society © 1971

Price 20p. (U.S.A. 50 cents)

THE BIOCHEMICAL SOCIETY

OFFICERS AND COMMITTEE, 1971–72

Chairman of the Committee
T. W. GOODWIN, F.R.S.

Treasurer
D. F. ELLIOTT

Committee Secretary
A. N. DAVISON

Meetings Secretary
H. M. KEIR

International Secretary
A. P. MATHIAS

Committee

J. S. D. BACON
R. B. BEECHEY
E. A. DAWES
R. M. C. DAWSON
D. T. ELMORE
R. HOFFENBERG*‡
G. D. HUNTER
V. H. T. JAMES
A. KORNER
C. F. MILLS
H. R. PERKINS†
S. V. PERRY
D. C. PHILLIPS, F.R.S
P. J. RANDLE
D. S. ROBINSON†
T. A. SCOTT
D. G. WALKER*†
A. M. WHITE

Symposium Organizer: R. M. S. SMELLIE

* *Ex Officio* Member of Committee.
† Representative of Editorial Board of the *Biochemical Journal.*
‡ Representative of Editorial Board of *Clinical Science.*

The Biochemical Society exists to advance the science of biochemistry through meetings and publications. Eleven meetings a year are held, each at a different place; original papers are presented and special topics are discussed at symposia and colloquia.

Persons interested in biochemistry are eligible for election as Members. Details of further facilities accorded to Members, and forms of application for membership, are available from the Executive Secretary, The Biochemical Society, 7 Warwick Court, London WC1R 5DP (01-242 1076/7/8/9).

The *Biochemical Journal* is published and distributed by the Biochemical Society. It is published twice monthly, in four or more volumes per year. It is planned that five volumes will appear in 1971. The index for each volume is published separately.

Subscriptions to the *Biochemical Journal.* For non-members of the Biochemical Society the subscription to the Journal at the present rate of publication is £45 per year (£9 per volume). For non-members in the U.S.A. the 1971 subscription is $110 per year ($22 per volume). All subscriptions are payable in advance at the time of ordering. Orders and subscriptions should be sent to the Biochemical Society (Publications), 7 Warwick Court, London WC1R 5DP.

Claims regarding issues lost or damaged in transit should be addressed to the Biochemical Society at the address in the preceding paragraph. No claims will be entertained if they are received later than three months after the date of posting of the Journal.

Back Numbers. Enquiries for volumes 1–19 should be addressed to William Dawson & Sons Ltd., Back Issues Department, Cannon House, Park Farm Road, Folkestone, Kent. Quotations for available issues of subsequent volumes and parts may be obtained on application to Walter J. Johnson Ltd., Berkeley Square House, Berkeley Square, London W1X 6BA, or to the Biochemical Society.

Advertisements. Applications for advertising space should be sent to the Advertising Department, The Biochemical Society, 7 Warwick Court, London WC1R 5DP (01-242 1076/7/8/9). Copy is required eight weeks before publication date. Rate cards are available on request.

Microfilms. Volumes 1–89 (1906–1963) have been recorded on microfilm by Micro Methods Ltd., East Ardsley, Wakefield, Yorks. Details are available from the firm or the Biochemical Society.

Index of Authors

Note. Pages in *Proceedings of the Biochemical Society* are distinguished by P. Entries marked with an asterisk (*) refer to communications made in title only.

Abraham, E. P. *see* Hamilton-Miller, J. M. T. 183; Loder, P. B. 471, 477

Adams, R. L. P. Methylation of newly synthesized and older deoxyribonucleic acid 38P

Adams, R. W. *see* Roberts, D. V. 41P

Ah Law, Threlfall, D. R. & Whistance, G. R. Isoprenoid phenol and quinone precursors of ubiquinones and dihydroubiquinones [ubiquinones(H_2)] in fungi 331

Aithal, H. N. & Ramasarma, T. Changes in the liver mitochondrial oxidation of succinate during cold-exposure 677

Akhtar, M. *see* Bloxham, D. P. 275

Allan, D. & Crumpton, M. J. Solubilization of pig lymphocyte plasma membrane and fractionation of some of the components 967

Allen, A. *see* Snary, D. 845

Alleyne, G. A. O. *see* Flores, H. 35

Archibald, A. R. & Coapes, H. E. The interaction of concanavalin A with teichoic acids and bacterial walls 665

Armstrong, D. T. *see* Flint, A. P. F. 143

Askonas, B. A. & Parkhouse, R. M. E. Assembly of immunoglobulin M. Blocked thiol groups of intracellular 7S subunits 629

Attwood, D., Graham, A. B. & Wood, G. C. The phospholipid-dependence of uridine diphosphate glucuronyltransferase. Reactivation of phospholipase A-inactivated enzyme by phospholipids and detergents 875

Axelrod, J. *see* Molinoff, P. B. 32P

Bachelard, H. S., Clark, A. G. & Thompson, M. F. Cerebral-cortex hexokinases. Elucidation of reaction mechanisms by substrate and dead-end inhibitor kinetic analysis 707

Badawy, A. A.-B. & Smith, M. J. H. The effects of salicylate on the activity of rat liver tryptophan pyrrolase *in vitro* and *in vivo* 171

Baldwin, G. S. & Carnegie, P. R. Isolation and partial characterization of methylated arginines from the encephalitogenic basic protein of myelin 69

Banks, P. *see* Jones, C. T. 341

Barber, G. A. Chemical derivatives of starch and their industrial use 3P

Barbiroli, B., Corti, A. & Caldarera, C. M. The pattern of synthesis of ribonucleic acid species under the action of spermine in the chick embryo 123

Barford, D. J. & Jones, J. G. Thiol-dependent changes in the properties of rat liver sulphotransferases 427

Barnett, J. E. G. The hydrolysis of glycosyl fluorides by glycosidases. Determination of the anomeric configuration of the products of glycosidase action 607

Barrett, A. J. *see* Dingle, J. T. 1

Baum, H. *see* Dipl·ck, A. T. 721

Beary, M. E. & French, S. Effect of a high-ethanol and choline-deficient diet on the metabolism of [^{3}H]oestradiol *in vitro* by subcellular fractions of male rat livers 43P

Beary, M. E. *see also* Martin, F. M. 44P

Becker, J.-U. *see* Höfer, M. 855

Beeley, J. G. The isolation of ovomucoid variants differing in carbohydrate composition 399

Bennick, A. & Connell, G. E. Purification and partial characterization of four proteins from human parotid saliva 455

Bergeron, J. J. M. Different effects of thymidine and 5-fluorouracil 2′-deoxyriboside on biosynthetic events in cultured P815Y mast cells 385

Bermek, E. *see* Hradec, J. 959

Berry, M. N. The action of fructose on ethanol metabolism by intact isolated liver cells 40P

Berry, M. N. The action of pyruvate on ethanol oxidation by intact isolated liver cells 41P

Bester, A. J. Ribonucleic acid polymerase activity in cardiomyopathic-hamster heart nuclei 675

Bezkorovainy, A. & Grohlich, D. Imidazole groups of iron-saturated transferrin 125

Blair, J. A. & Dransfield, E. The urinary excretion of orally administered pteroyl-L-glutamic acid by the rat 907

Bloxham, D. P. & Akhtar, M. Studies on the control of cholesterol biosynthesis: the adenosine 3′:5′-cyclic monophosphate-dependent accumulation of a steroid carboxylic acid 275

Bondy, S. C. The synthesis and decay of histone fractions and of deoxyribonucleic acid in the developing avian brain 465

Brand, K. *see* Höfer, M. 855

Brandt, K. D. & Muir, H. Heterogeneity of protein–polysaccharides of porcine articular cartilage. The chondroitin sulphate–proteins associated with collagen 747

Bridgen, J. The amino acid sequence around four cysteine residues in trout actin 591

Brimijoin, S. *see* Molinoff, P. B. 32P

Brooks, C. J. W. *see* Lawson, A. M. 25P

Brosnan, J. T. *see* Hems, D. A. 391

Brown, M. *see* Khairul Bashar, S. A. M. 355

Bruckdorfer, K. R., Khan, I. H. & Yudkin, J. Dietary carbohydrate and fatty acid synthetase activity in rat liver and adipose tissue 7P

Burdon, R. H. & Pearce, C. A. Control of histone modification within chromatin by adenine nucleotides and steroid hormones 37P

Burger, I. H., Walters, C. L. & Parke, D. V. Interaction of nitrite with mammalian mitochondrial cytochromes 9P

Burton, K. The limitation of glycolysis in adenine-deficient *Escherichia coli* 585

Butt, V. S. *see* Gallon, J. R. 5P

Caldarera, C. M. *see* Barbiroli, B. 123

Caldwell, J., Dring, L. G. & Williams, R. T. The metabolism of methamphetamine in the rat and guinea pig 27P

Campbell, A. M. & Lochhead, D. S. Optical rotatory dispersion and circular dichroism of superhelical deoxyribonucleic acid 661

Campbell, P. N. *see* Fairhurst, E. 865

Carnegie, P. R. Amino acid sequence of the encephalitogenic basic protein from human myelin 57

Carnegie, P. R. *see also* Baldwin, G. S. 69

Carroll, J. *see* McEvoy, F. A. 901

Chakravorty, A. K. & Shaw, M. Changes in the transcription pattern of flax cotyledons after inoculation with flax rust 551

Clamp, J. R. *see* Johnson, I. 739

Clark, A. G. *see* Bachelard, H. S. 707
Clark, J. B. *see* Nicklas, W. J. 83
Clark, M. G. *see* Williams, J. F. 915, 923
Coapes, H. E. *see* Archibald, A. R. 665
Cocking, E. C. *see* Power, J. B. 29P
Coleman, G. S., Kemp, P. & Dawson, R. M. C. The catabolism of phosphatidylethanolamine by the rumen protozoon *Entodinium caudatum* and its conversion into the *N*-(1-carboxyethyl) derivative 97
Connell, G. E. *see* Bennick, A. 455
Coore, H. G., Denton, R. M., Martin, B. R. & Randle, P. J. Effects of insulin and adrenaline on rat epididymal-fat-pad pyruvate dehydrogenase 38P
Coore, H. G. *see also* Denton, R. M. 39P
Coote, J. L., Rabbitts, T. H. & Work, T. S. The mitochondrial ribosome of baby-hamster kidney cells 279
Corbett, J. R. *see* Dowsett, J. R. 23P
Corti, A. *see* Barbiroli, B. 123
Coulson, W. F. & Hughes, C. M. Heterotropic co-operative effects between amino acid substrates of phenylalanine hydroxylase 22P
Cox, G. B. *see* Hamilton, J. A. 435
Craig, A. W. & O'Connor, P. J. Alkylated components in rat liver ribonucleic acid: a possible index of true biological turnover 34P
Creaser, E. H. & Russell, L. M. Further characterization of a protein promoting aggregation of retina cells 127
Crumpton, M. J. *see* Allan, D. 967
Curtis, C. G. *see* Dolly, J. O. 261

Dale, J. W. Characterization of the β-lactamase specified by the resistance factor R-1818 in *Escherichia coli* K12 and other Gram-negative bacteria 501
Dale, J. W. & Smith, J. T. Some relationships between R-factor and chromosomal β-lactamase in Gram-negative bacteria 507
Dale, J. W. & Smith, J. T. The purification and properties of the β-lactamase specified by the resistance factor R-1818 in *Escherichia coli* and *Proteus mirabilis* 493
Damoglou, A. P., Lindley, H. & Stapleton, I. W. The hydrolysis by thermolysin of dipeptide derivatives that contain substituted cysteine 379
Das, P. K., Watts, R. L. & Watts, D. C. An altered erythrocyte acetylcholinesterase associated with hereditary muscular dystrophy in mice 24P
Davies, M. *see* Houghton, P. B. 28P
Davies, P., Rita, G. A., Krakauer, K. & Weissmann, G. Characterization of a neutral protease from lysosomes of rabbit polymorphonuclear leucocytes 559
Davison, A. N. *see* Kaczmarek, L. K. 45P
Dawes, E. A. *see* Senior, P. J. 29P
Dawson, R. M. C. *see* Coleman, G. S. 97; Jungalwala, F. B. 19, 683
Dean, M. F., Muir, H. & Ewins, R. J. F. Hurler's, Hunter's and Morquio's syndromes. A biochemical study in the light of current views of the underlying defects 883
Deckner, K. *see* Höfer, M. 855
Denton, R. M., Martin, B. R., Coore, H. G. & Randle, P. J. Properties of pyruvate dehydrogenase from fat-cell mitochondria and its hormonal control 39P
Denton, R. M. *see also* Coore, H. G. 38P
Deverson, E. V. *see* Milstein, C. P. 945
DiAugustine, R. P. *see* Eling, T. E. 539
Dingle, J. T., Barrett, A. J. & Weston, P. D. Cathepsin D. Characteristics of immunoinhibition and the confirmation of a role in cartilage breakdown 1
Diplock, A. T., Baum, H. & Lucy, J. A. The effect of vitamin E on the oxidation state of selenium in rat liver 721
Dodd, G. H. Studies on olfactory receptor mechanisms 31P
Dodgson, K. S. *see* Dolly, J. O. 261
Dolly, J. O., Curtis, C. G., Dodgson, K. S. & Rose, F. A. Metabolism of sodium oestrone [^{35}S]sulphate in the rat 261
Dowsett, J. R., Corbett, J. R., Middleton, B. & Tubbs, P. K. The purification and properties of shikimate dehydrogenase 23P
Dransfield, E. *see* Blair, J. A. 907
Drasar, B. S., Renwick, A. G. & Williams, R. T. The conversion of cyclamate into cyclohexylamine by gut bacteria 26P
Dring, L. G. *see* Caldwell, J. 27P
Dupe, R. J. *see* Howell, R. M. 11P
Durham, N. N. & Ferguson, D. V. Molecular specificity associated with alleviation of actinomycin D inhibition of protein synthesis 291
Dušek, Z. *see* Hradec, J. 959

Eady, R. R. & Large, P. J. Microbial oxidation of amines. Spectral and kinetic properties of the primary amine dehydrogenase of *Pseudomonas* AM1 757
Edwards-Webb, J. D. *see* Ganguly, J. 669
Egami, F. *see* Fukuda, M. 407, 415
Eling, T. E. & DiAugustine, R. P. A role for phospholipids in the binding and metabolism of drugs by hepatic microsomes. Use of the fluorescent hydrophobic probe 1-anilinonaphthalene-8-sulphonate 539
Elmore, D. T. *see* Lloyd, A. G. 42P, 43P; Roberts, D. V. 41P
Epton, R., McLaren, J. V. & Thomas, T. H. Enzyme insolubilization with cross-linked polyacryloylaminoacetaldehyde dimethylacetal 21P
Ewins, R. J. F. *see* Dean, M. F. 883

Fairhurst, E., McIlreavy, D. & Campbell, P. N. The protein-synthesizing activity of ribosomes isolated from the mammary gland of lactating and pregnant guinea pigs 865
Farber, E. *see* Swann, P. F. 175
Ferguson, D. V. *see* Durham, N. N. 291
Fern, E. B., Pain, V. M. & Manchester, K. L. An intact muscle preparation suitable for studies of the metabolic effects of electrical stimulation 45P
Flint, A. P. F. & Armstrong, D. T. The compartmentation of non-esterified and esterified cholesterol in the superovulated rat ovary 143
Flores, H. & Alleyne, G. A. O. Phosphoenolpyruvate carboxykinase of kidney. Subcellular distribution and response to acid–base changes 35
Ford, H. C. & O'Donnell, V. J. Studies on an extract of rat testicular microsomal fraction that catalyses the transformation of progesterone into 17-hydroxyprogesterone and androgens 105
Franklin, T. J. Uptake of tetracycline by membrane preparations from *Escherichia coli* 267
Frearson, E. M. *see* Power, J. B. 29P
Freinkel, N. *see* Jungalwala, F. B. 19
French, S. *see* Beary, M. E. 43P
Fukuda, M. & Egami, F. Isolation and fractionation of glycopeptides from porcine thyroglobulin 407
Fukuda, M. & Egami, F. The structure of a glycopeptide purified from porcine thyroglobulin 415

Gallon, J. R. & Butt, V. S. L-Tyrosine decarboxylase from barley roots 5P
Ganguly, J., Pope, G. S., Thompson, S. Y., Toothill, J., Edwards-Webb, J. D. & Waynforth, H. B. Studies on the metabolism of vitamin A: the effect of vitamin A status on the content of some steroids in the ovaries of pregnant rats 669

GARFINKEL, D. *see* VAN DEN BERG, C. J. 211
GIORGI, E. P., STEWART, J. C., GRANT, J. K. & SCOTT, R. Androgen dynamics *in vitro* in the normal and hyperplastic human prostate gland 41
GLENN, A. R. & MANDELSTAM, J. Sporulation in *Bacillus subtilis* 168. Comparison of alkaline phosphatase from sporulating and vegetative cells 129
GLOVER, J. *see* KIRBY, W. 31P
GOAD, L. J. *see* SMITH, A. G. 671
GOODAY, G. W. Control by light of starch degradation and cell-wall biosynthesis in *Platymonas tetrathele* 3P
GOODWIN, T. W. Biosynthesis of carotenoids and plant triterpenes. The fifth CIBA Medal Lecture 293
GORROD, J. W. The deacetylation of *N*-arylacetamides *in vitro* 10P
GRAHAM, A. B. *see* ATTWOOD, D. 875
GRANT, J. K. *see* GIORGI, E. P. 41
GREEN, C. *see* WRIGHT, J. D. 837
GREENWOOD, C. T. Aspects of the chemistry of vegetable starches 1P
CROAT, J. I. The amino acid composition of a wheat-based brewing syrup 3P
GROHLICH, D. *see* BEZKOROVAINY, A. 125

HAMILTON, J. A. & COX, G. B. Ubiquinone biosynthesis in *Escherichia coli* K-12. Accumulation of an octaprenol, farnesylfarnesylgeraniol, by a multiple aromatic auxotroph 435
HAMILTON-MILLER, J. M. T. & ABRAHAM, E. P. Specificities of haemagglutinating antibodies evoked by members of the cephalosporin C family and benzylpenicillin 183
HANLEY, H. O. *see* WISEMAN, A. 8P
HASLAM, J. M. The effects of depletion of unsaturated fatty acids on the energy-dependent reactions of yeast mitochondria 6P
HASLEWOOD, G. A. D. Bile salts of germ-free domestic fowl and pigs 15
HAWKS, A. *see* SWANN, P. F. 175
HAYLETT, T., SWART, L. S. & PARRIS, D. Studies on the high-sulphur proteins of reduced Merino wool. Amino acid sequence of protein SCMKB-IIIB3 191
HAYLETT, T. *see also* SWART, L. S. 201
HELLMAN, B., SEHLIN, J. & TÄLJEDAL, I.-B. Effects of glucose and other modifiers of insulin release on the oxidative metabolism of amino acids in micro-dissected pancreatic islets 513
HEMS, D. A. & BROSNAN, J. T. Effects of metabolic acidosis and starvation on the content of intermediary metabolites in rat kidney 391
HILL, D. F. *see* SZEGO, C. M. 523
HOCHACHKA, P. W. *see* MOON, T. W. 695
HÖFER, M., BRAND, K., DECKNER, K. & BECKER, J.-U. Importance of the pentose phosphate pathway for D-glucose catabolism in the obligatory aerobic yeast *Rhodotorula gracilis* 855
HOPE, D. B. *see* PICKUP, J. C. 153
HOUGHTON, P. B., JONES-WILLIAMS, W. & DAVIES, M. Isolation of dense bodies containing acid hydrolases and iron from rat spleen 28P
HOWELL, R. M. & DUPE, R. J. Activation of coagulation Factor X by insoluble trypsin 11P
HRADEC, J., DUŠEK, Z., BERMEK, E. & MATTHAEI, H. The role of cholesteryl 14-methylhexadecanoate in peptide elongation reactions 959
HUGHES, C. M. *see* COULSON, W. F. 22P
HUGHES, L. *see* PRICE, G. M. 21P
HUTCHINSON, D. W., JOHNSON, B. & KNELL, A. J. Tautomerism and hydrogen-bonding in bilirubin 483

INGLE, J. *see* LEAVER, C. J. 235

JAMESON, G. W. *see* ROBERTS, D. V. 41P
JANSEN, F. H. & STOLL, M. S. Separation and structural analysis of vinyl and isovinyl azobilirubin derivatives 12P
JOHNSON, B. *see* HUTCHINSON, D. W. 483
JOHNSON, I. & CLAMP, J. R. The oligosaccharide units of a human type L immunoglobulin M (macroglobulin) 739
JONES, C. T. & BANKS, P. The influence of the intracellular concentration of sodium on the uptake of L-[^{14}C]valine by chopped tissue from cerebral cortex 341
JONES, J. G. *see* BARFORD, D. J. 427
JONES, R. G. W. *see* WILLIAMSON, F. A. 4P
JONES-WILLIAMS, W. *see* HOUGHTON, P. B. 28P
JUDAH, J. D. & NICHOLLS, M. R. Biosynthesis of rat serum albumin 649
JUDAH, J. D. & NICHOLLS, M. R. The separation of intracellular serum albumin from rat liver 643
JUNGALWALA, F. B. & DAWSON, R. M. C. The turnover of myelin phospholipids in the adult and developing rat brain 683
JUNGALWALA, F. B., FREINKEL, N. & DAWSON, R. M. C. The metabolism of phosphatidylinositol in the thyroid gland of the pig 19

KACZMAREK, L. K. & DAVISON, A. N. The physiological role of taurine 45P
KAY, J. & RYLE, A. P. An active-site peptide from pepsin C 75
KEMP, P. *see* COLEMAN, G. S. 97
KHAIRUL BASHAR, S. A. M., PARISH, J. H. & BROWN, M. Biosynthesis *in vitro* of tryptophanase by polyribosomes from induced cultures of *Escherichia coli* 355
KHAN, I. H. *see* BRUCKDORFER, K. R. 7P
KIMURA, A. K. *see* SZEGO, C. M. 523
KIRBY, W., WHITE, G. & GLOVER, J. Nature and properties of retinol-binding proteins 31P
KLEMPERER, H. G. *see* RICKWOOD, D. 731
KNELL, A. J. *see* HUTCHINSON, D. W. 483
KNIGHT, B. L. Evidence for the presence of a pool of glycerides with a rapid rate of turnover in brown fat from newborn rabbits 485
KNOWLER, J. T. & SMELLIE, R. M. S. Oestradiol-17β stimulation of ribonucleic acid synthesis in immature rat uterus: the effects of injection route and rat weight 33P
KNOWLER, J. T. & SMELLIE, R. M. S. Separation of ribonucleic acid from immature rat uterus on polyacrylamide gels and the effect of oestradiol-17β 33P
KRAKAUER, K. *see* DAVIES, P. 559
KYLE, W. S. A. *see* ROBERTS, D. V. 41P

LARGE, P. J. *see* EADY, R. R. 757
LAWFORD, H. G. & WILLIAMS, G. R. The transport of citrate and other tricarboxylic acids in two species of *Pseudomonas* 571
LAWSON, A. M. & BROOKS, C. J. W. A sensitive method for the detection of metabolites of Dianabol in urine in man 25P
LEAVER, C. J. & INGLE, J. The molecular integrity of chloroplast ribosomal ribonucleic acid 235
LESLIE, R. B. Some physical approaches to the structure of serum high-density lipoproteins 17P
LEUZINGER, W. The number of catalytic sites in acetylcholinesterase 139
LEV, T. *see* SLOR, H. 993
*LEVY, R. I. Very-low-density lipoproteins and chylomicrons 15P
LEWIS, B. Low-density lipoproteins 15P
LINDLEY, H. *see* DAMOGLOU, A. P. 379

LLOYD, A. G., MORRISON, T. & ELMORE, D. T. Comparative studies on rat mast-cell-granule protease and a bovine liver-capsule protease 43P
LLOYD, A. G., MORRISON, T. & ELMORE, D. T. Observations on rat mast-cell-granule protease 42P
LOCHHEAD, D. S. *see* CAMPBELL, A. M. 661
LODER, P. B. & ABRAHAM, E. P. Biosynthesis of peptides containing α-aminoadipic acid and cysteine in extracts of a *Cephalosporium* sp. 477
LODER, P. B. & ABRAHAM, E. P. Isolation and nature of intracellular peptides from a cephalosporin C-producing *Cephalosporium* sp. 471
LONG, C. & MOUAT, B. The binding of calcium ions by erythrocytes and 'ghost'-cell membranes 829
LOTE, C. J. & WEISS, J. B. Identification in urine of a low-molecular-weight highly polar glycopeptide containing cysteinyl-galactose 25P
LOTLIKAR, P. D. & LUHA, L. Enzymic *N*-acetylation of *N*-hydroxy-2-aminofluorene by liver cytosol from various species 287
LUCY, J. A. *see* DIPLOCK, A. T. 721
LUHA, L. *see* LOTLIKAR, P. D. 287

MCEVOY, F. A. & CARROLL, J. Purification from rat liver of an enzyme that catalyses the sulphurylation of phenols 901
MCILREAVY, D. *see* FAIRHURST, E. 865
MCLAREN, J. V. *see* EPTON, R. 21P
MCLEAN, A. E. M. & MARSHALL, W. J. The effect of linoleic acid, peroxidation and antioxidants on induction of cytochrome *P*-450 in rat liver 28P
MADEN, B. E. H. Effects of amino acid starvation on ribosome formation in HeLa cells 36P
MADEN, B. E. H. *see also* SALIM, M. 34P; SHEPHERD, J. 35P
MAGEE, P. N. *see* SWANN, P. F. 175
MAGOUR, S. & NIEVEL, J. G. Effect of inducers of drug-metabolizing enzymes on diethylnitrosamine metabolism and toxicity 8P
MAINWARING, W. I. P., MANGAN, F. R. & PETERKEN, B. M. Studies on the solubilized ribonucleic acid polymerase from rat ventral prostate gland 619
MANCHESTER, K. L. *see* FERN, E. B. 45P
MANDELSTAM, J. *see* GLENN, A. R. 129
MANGAN, F. R. *see* MAINWARING, W. I. P. 619
MANNERS, D. J. Some industrial aspects of the enzymic degradation of starch 1P
MARSH, J. B. Biosynthesis of plasma lipoproteins 18P
MARSHALL, W. J. *see* MCLEAN, A. E. M. 28P
MARTIN, B. R. *see* COORE, H. G. 38P; DENTON, R. M. 39P
MARTIN, F. M. & BEARY, M. E. Metabolism *in vitro* of [4-^{14}C]4-androstene-3,17-dione by livers from normal and carbon tetrachloride-poisoned rats 44P
MATTHAEI, H. *see* HRADEC, J. 959
MIDDLETON, B. *see* DOWSETT, J. R. 23P
MILLER, J. C. & WALEY, S. G. The active centre of rabbit muscle triose phosphate isomerase. The site that is labelled by glycidol phosphate 163
MILSTEIN, C. P. & DEVERSON, E. V. The amino acid sequence of a human κ light chain 945
MITCHELL, A. R. *see* SOUTHERN, E. M. 613
MOLINOFF, P. B., BRIMIJOIN, S. & AXELROD, J. Transsynaptic induction of dopamine (3,4-dihydroxyphenethylamine) β-hydroxylase in adrenergic tissues of the rat 32P
MOON, T. W. & HOCHACHKA, P. W. Temperature and enzyme activity in poikilotherms. Isocitrate dehydrogenases in rainbow-trout liver 695
MORRISON, T. *see* LLOYD, A. G. 42P, 43P
MOSS, D. W. *see* MÜLLER, E. 895
MOUAT, B. *see* LONG, C. 829
MUIR, H. *see* BRANDT, K. D. 747; DEAN, M. F. 883
MÜLLER, E., PEARSE, A. G. E. & MOSS, D. W. The inducible alkaline phosphatase of rat heart. Some properties of the enzyme and factors influencing its activity 895
MYANT, N. B. Turnover of plasma lipoprotein cholesterol 19P

NEET, K. E. *see* SHILL, J. P. 285
NICHOLLS, M. R. *see* JUDAH, J. D. 643, 649
NICHOLSON, B. H. Location of aromatic amino acids and helix content in *Escherichia coli* ribonucleic acid polymerase 117
NICKLAS, W. J., CLARK, J. B. & WILLIAMSON, J. R. Metabolism of rat brain mitochondria. Studies on the potassium ion-stimulated oxidation of pyruvate 83
NIETO, M. & PERKINS, H. R. Modifications of the acyl-D-alanyl-D-alanine terminus affecting complex-formation with vancomycin 789
NIETO, M. & PERKINS, H. R. Physicochemical properties of vancomycin and iodovancomycin and their complexes with diacetyl-L-lysyl-D-alanyl-D-alanine 773
NIEVEL, J. G. *see* MAGOUR, S. 8P

O'CONNOR, P. J. *see* CRAIG, A. W. 34P
O'DONNELL, V. J. *see* FORD, H. C. 105
OTTOLENGHI, P. The effects of hydrogen ion concentration on the simplest steady-state enzyme systems 445

PAIN, V. M. *see* FERN, E. B. 45P
PARISH, J. H. *see* KHAIRUL BASHAR, S. A. M. 355
PARKE, D. V. & RAHMAN, H. Induction of a new hepatic microsomal haemoprotein by safrole and isosafrole 9P
PARKE, D. V. *see also* BURGER, I. H. 9P
PARKHOUSE, R. M. E. Immunoglobulin M biosynthesis. Production of intermediates and excess of light chain in mouse myeloma MOPC 104E 635
PARKHOUSE, R. M. E. *see also* ASKONAS, B. A. 629
PARRIS, D. *see* HAYLETT, T. 191
PAYNE, J. W. The requirement for the protonated α-amino group for the transport of peptides in *Escherichia coli* 245
PAYNE, J. W. The utilization of prolyl peptides by *Escherichia coli* 255
PEARCE, C. A. *see* BURDON, R. H. 37P
PEARCE, J. An investigation of lipogenic and glycolytic enzyme activity in the liver of sexually immature and mature domestic fowl 717
PEARSE, A. G. E. *see* MÜLLER, E. 895
PEGG, A. E. *see* SWANN, P. F. 175
PERKINS, H. R. *see* NIETO, M. 773, 789
PERRY, S. V. *see* SCHAUB, M. C. 367
PETERKEN, B. M. *see* MAINWARING, W. I. P. 619
PICKUP, J. C. & HOPE, D. B. Protease and ribonuclease activities in bovine pituitary lobes 153
POLLAK, J. K. & WOOG, M. Changes in the proportions of two mitochondrial populations during the development of embryonic chick liver 347
POPE, G. S. *see* GANGULY, J. 669
POWER, J. B., FREARSON, E. M. & COCKING, E. C. The preparation and culture of spontaneously fused tobacco leaf spongy-mesophyll protoplasts 29P
PRICE, G. M. & HUGHES, L. Phenol oxidase activity in the larva of the blowfly *Calliphora erythrocephala* 21P

QUINCEY, R. V. The number and location of genes for 5S ribonucleic acid within the genome of *Drosophila melanogaster* 227

Rabbitts, T. H. *see* Coote, J. L. 279
Rahman, H. *see* Parke, D. V. 9P
Ramasarma, T. *see* Aithal, H. N. 677
Randle, P. J. *see* Coore, H. G. 38P; Denton, R. M. 39P
Renwick, A. G. *see* Drasar, B. S. 26P
Rickwood, D. Methylation of newly synthesized ribonucleic acid by isolated rat liver nuclei: a means of characterizing ribonucleic acid synthesized *in vitro* 36P
Rickwood, D. & Klemperer, H. G. Methylation of newly synthesized ribonucleic acid by isolated rat liver nuclei. Characterization of the ribonucleic acid synthesized by nuclei from starved animals 731
Rienits, K. G. *see* Williams, J. F. 915, 923
Rifkind, B. M. Clinical disorders of the plasma lipoproteins 21P
Rita, G. A. *see* Davies, P. 559
Roberts, D. V., Adams, R. W., Elmore, D. T., Jameson, G. W. & Kyle, W. S. A. Determination of the operational molarity of solutions of bovine α-chymotrypsin, trypsin, thrombin and Factor Xa by spectrofluorometric titration 41P
Roberts, J. A. *see* Szego, C. M. 523
Robinson, D. S. The mechanism of removal of lipoprotein triglyceride from the plasma 20P
Rose, F. A. *see* Dolly, J. O. 261
Russell, L. M. *see* Creaser, E. H. 127
Ryle, A. P. *see* Kay, J. 75

Salim, M., Williamson, R. & Maden, B. E. H. Studies on the methylated regions of HeLa-cell ribosomal and nucleolar ribonucleic acids 34P
Sawyer, B. C. *see* Slater, T. F. 805, 815, 823
Scanu, A. Human plasma high-density lipoproteins: past, present and future 17P
Schaub, M. C. & Perry, S. V. The regulatory proteins of the myofibril. Characterization and properties of the inhibitory factor (troponin B) 367
Schofield, P. J. *see* Williams, J. F. 923
Scott, J. E. & Tigwell, M. J. Rapid oxidation of chondroitin sulphates and other glycols by periodic acid in organic solvents 46P
Scott, P. H. A study of the formation of fluorescent derivatives of 4-hydroxyphenethylamine (tyramine), 4-hydroxy-3-methoxyphenethylamine (3-methoxytyramine) and related compounds by reaction with hydrazine in the presence of nitrous acid 977
Scott, R. *see* Giorgi, E. P. 41
Seeler, B. J. *see* Szego, C. M. 523
Sehlin, J. *see* Hellman, B. 513
Senior, P. J. & Dawes, E. A. The role and regulation of poly-β-hydroxybutyrate synthesis in *Azotobacter beijerinckii* 29P
Shaw, M. *see* Chakravorty, A. K. 551
Sheldrick, B. Computer analysis of protein mixtures 996
Shepherd, J. & Maden, B. E. H. 'Fingerprinting' studies on ^{35}S-labelled mammalian-cell ribosomal proteins 35P
Shill, J. P. & Neet, K. E. A slow transient kinetic process of yeast hexokinase 285
Slater, R. S. *see* Smith, E. B. 39P
Slater, T. F. & Sawyer, B. C. The stimulatory effects of carbon tetrachloride and other halogenoalkanes on peroxidative reactions in rat liver fractions *in vitro*. General features of the systems used 805
Slater, T. F. & Sawyer, B. C. The stimulatory effects of carbon tetrachloride on peroxidative reactions in rat liver fractions *in vitro*. Inhibitory effects of free-radical scavengers and other agents 823
Slater, T. F. & Sawyer, B. C. The stimulatory effects of carbon tetrachloride on peroxidative reactions in rat liver fractions *in vitro*. Interaction sites in the endoplasmic reticulum 815
Slob, H. & Lev, T. Acid deoxyribonuclease activity in purified calf thymus nuclei 993
Smellie, R. M. S. *see* Knowler, J. T. 33P
Smith, A. G. & Goad, L. J. Sterol biosynthesis in the starfish *Asterias rubens* and *Henricia sanguinolenta* 671
Smith, E. B. & Slater, R. S. An immuno-electrophoretic assay of β-lipoprotein and albumin in human aortic intima by direct electrophoresis from the tissue sample into an antibody-containing gel 39P
Smith, J. T. *see* Dale, J. W. 493, 507
Smith, M. J. H. *see* Badawy, A. A.-B. 171
Snary, D. & Allen, A. Studies on gastric mucoproteins. The isolation and characterization of the mucoprotein of the water-soluble mucus from pig cardiac gastric mucosa 845
Snell, K. The regulation of rat liver L-alanine–glyoxylate aminotransferase by glucagon *in vivo* 657
Southern, E. M. & Mitchell, A. R. Chromatography of nucleic acid digests on thin layers of cellulose impregnated with polyethyleneimine 613
Stapleton, I. W. *see* Damoglou, A. P. 379
Steadman, R. A. *see* Szego, C. M. 523
Stewart, J. C. *see* Giorgi, E. P. 41
Stirling, J. L. A new form of *N*-acetyl-β-glucosaminidase present in pregnancy serum 11P
Stoll, M. S. *see* Jansen, F. H. 12P
Swann, P. F., Pegg, A. E., Hawks, A., Farber, E. & Magee, P. N. Evidence for ethylation of rat liver deoxyribonucleic acid after administration of ethionine 175
Swart, L. S. & Haylett, T. Studies on the high-sulphur proteins of reduced Merino wool. Amino acid sequence of protein SCMKB-IIIB4 201
Swart, L. S. *see also* Haylett, T. 191
Szego, C. M., Seeler, B. J., Steadman, R. A., Hill, D. F., Kimura, A. K. & Roberts, J. A. The lysosomal membrane complex. Focal point of primary steroid hormone action 523

Taggart, J. The reaction of malonaldehyde with wheat flour proteins 4P
Täljedal, I.-B. *see* Hellman, B. 513
Taugner, G. The effect of salts on catecholamine fluxes and adenosine triphosphatase activity in storage vesicles from the adrenal medulla 219
Thomas, P. *see* Tudball, N. 421
Thomas, T. H. *see* Epton, R. 21P
Thompson, M. F. *see* Bachelard, H. S. 707
Thompson, S. Y. *see* Ganguly, J. 669
Threlfall, D. R. *see* Ah Law 331
Tigwell, M. J. *see* Scott, J. E. 46P
Toothill, J. *see* Ganguly, J. 669
Tubbs, P. K. *see* Dowsett, J. R. 23P
Tudball, N. & Thomas, P. The inhibition of glutamate dehydrogenase by L-serine *O*-sulphate and related compounds and by photo-oxidation in the presence of Rose Bengal 421

Vaes, G. A latent collagenase released by bone and skin explants in culture 23P
Van den Berg, C. J. & Garfinkel, D. A simulation study of brain compartments. Metabolism of glutamate and related substances in mouse brain 211
van Heyningen, R. Fluorescent derivatives of 3-hydroxy-L-kynurenine in the lens of man, the baboon and the grey squirrel 30P

WALEY, S. G. *see* MILLER, J. C. 163
WALKER, T. S. The isolation and some properties of a factor causing gelling in the phloem sieve-tube exudate of the squash plant (*Cucurbita pepo*) 6P
WALTERS, C. L. *see* BURGER, I. H. 9P
WATTS, D. C. *see* DAS, P. K. 24P
WATTS, R. L. *see* DAS, P. K. 24P
WAYNFORTH, H. B. *see* GANGULY, J. 669
WEISS, J. B. *see* LOTE, C. J. 25P
WEISSMANN, G. *see* DAVIES, P. 559
WESTON, P. D. *see* DINGLE, J. T. 1
WHELAN, W. J. The structures of amylopectins and glycogens 1P
WHISTANCE, G. R. *see* AH LAW 331
WHITE, G. *see* KIRBY, W. 31P
WILLIAMS, G. R. *see* LAWFORD, H. G. 571
WILLIAMS, J. F., RIENITS, K. G. & CLARK, M. G. A system for the study *in situ* of the pentose phosphate pathway in rabbit liver 915
WILLIAMS, J. F., RIENITS, K. G., SCHOFIELD, P. J. & CLARK, M. G. The pentose phosphate pathway in rabbit liver. Studies on the metabolic sequence and quantitative role of the pentose phosphate cycle by using a system *in situ* 923
WILLIAMS, N. J. *see* WISEMAN, A. 8P
WILLIAMS, R. T. *see* CALDWELL, J. 27P; DRASAR, B. S. 26P
WILLIAMSON, F. A. & JONES, R. G. W. The isolation of plant root protoplasts and their use in the separation of subcellular components 4P
WILLIAMSON, J. R. *see* NICKLAS, W. J. 83
WILLIAMSON, R. *see* SALIM, M. 34P
WILLS, E. D. Effects of lipid peroxidation on membrane-bound enzymes of the endoplasmic reticulum 983
WISEMAN, A., HANLEY, H. O. & WILLIAMS, N. J. Decreased thermal stability of alcohol dehydrogenase in the presence of oxidized nicotinamide–adenine dinucleotide or oxidized nicotinamide–adenine dinucleotide phosphate 8P
WOOD, D. A. Sporulation in *Bacillus subtilis*. The appearance of sulpholactic acid as a marker event for sporulation 601
WOOD, G. C. *see* ATTWOOD, D. 875
WOOG, M. *see* POLLAK, J. K. 347
WORK, T. S. *see* COOTE, J. L. 279
WRIGHT, J. D. & GREEN, C. The role of the plasma membrane in fatty acid uptake by rat liver parenchymal cells 837

YUDKIN, J. *see* BRUCKDORFER, K. R. 7P
YUDKIN, M. D. Effect of point mutations in the *lac* promoter on transient and severe catabolite repression of the *lac* operon of *Escherichia coli* 579

Index of Subjects

Note. Pages in *Proceedings of the Biochemical Society* are distinguished by P. Entries marked with an asterisk (*) refer to communications made in title only.

N-Acetylalanine, identification of, as the *N*-terminal residue of protein SCMKB-IIIB3 isolated from reduced Merino wool (Haylett, T., Swart, L. S. & Parris, D.) 191

N-Acetylalanine, identification of, as the *N*-terminal residue of protein SCMKB-IIIB4 isolated from reduced Merino wool (Swart, L. S. & Haylett, T.) 201

N-Acetylation, enzymic, of *N*-hydroxy-2-aminofluorene by liver cytosol from various species (Lotlikar, P. D. & Luha, L.) 287

Acetylcholinesterase, erythrocyte, altered, associated with hereditary muscular dystrophy in mice (Das, P. K., Watts, R. L. & Watts, D. C.) 24P

Acetylcholinesterase, number of catalytic sites in, from electric tissue of *Electrophorus electricus* (Leuzinger, W.) 139

N-Acetyl-β-glucosamine, inhibition by, of ox cerebral-cortex mitochondrial and cytoplasmic hexokinases (Bachelard, H. S., Clark, A. G. & Thompson, M. F.) 707

N-Acetyl-β-glucosaminidase, identification of a new form of, in human pregnancy serum (Stirling, J. L.) 11P

N-Acetylglycylamino acid amides, hydrolysis of, by thermolysin (Damoglou, A. P., Lindley, H. & Stapleton, I. W.) 379

N-Acetylglycylamino acid methyl esters, hydrolysis of, by thermolysin (Damoglou, A. P., Lindley, H. & Stapleton, I. W.) 379

N-Acetylneuraminic acid, relationship between the content of, and the binding of calcium ions by mammalian erythrocytes (Long, C. & Mouat, B.) 829

Acid deoxyribonuclease, *see* Deoxyribonuclease, acid

Acid proteinase, *see* Proteinase, acid

Acid ribonuclease, *see* Ribonuclease, acid

Acidosis, metabolic, effect of, on the contents of intermediary metabolites in rat kidney (Hems, D. A. & Brosnan, J. T.) 391

Acidosis, response to, of phosphoenolpyruvate carboxylase activity in kidney of various species (Flores, H. & Alleyne, G. A. O.) 35

Actin, trout, amino acid sequences around four cysteine residues in (Bridgen, J.) 591

Actinomycin D, inhibition by, of the methylation of newly synthesized ribonucleic acid by isolated rat liver nuclei (Rickwood, D. & Klemperer, H. G.) 731

Actinomycin D, molecular specificity associated with alleviation of the inhibition of protein biosynthesis by, in *Pseudomonas fluorescens* NND (Durham, N. N. & Ferguson, D. V.) 291

Actomyosin, inhibition of the adenosine triphosphatase activity of, by troponin B isolated from myofibrils from rabbit skeletal muscle (Schaub, M. C. & Perry, S. V.) 367

Acyltransferase, molecular specificity associated with alleviation of actinomycin D inhibition of the biosynthesis of, in *Pseudomonas fluorescens* NND (Durham, N. N. & Ferguson, D. V.) 291

Adenine, limitation of glycolysis in *Escherichia coli* deficient in (Burton, K.) 585

Adenine nucleotides, concentrations of, in a rabbit liver system *in situ* (Williams, J. F., Rienits, K. G. & Clark, M. G.) 915

Adenine nucleotides, effects of, on the uptake of tetracycline by membrane preparations from *Escherichia coli* (Franklin, T. J.) 267

Adenosine 3′:5′-cyclic monophosphate, effect of, on L-alanine–glyoxylate aminotransferase activity in rat liver *in vivo* (Snell, K.) 657

Adenosine 3′:5′-cyclic monophosphate, role of the accumulation of a steroid carboxylic acid dependent on the presence of, in the control of cholesterol biosynthesis by a rat liver supernatant fraction (Bloxham, D. P. & Akhtar, M.) 275

Adenosine triphosphatase, effects of salts on catecholamine fluxes and the activity of, in catecholamine-storage vesicles from ox adrenal-gland medulla (Taugner, G.) 219

Adenosine triphosphatase, inhibition of the activity of, of actomyosin by troponin B isolated from myofibrils from rabbit skeletal muscle (Schaub, M. C. & Perry, S. V.) 367

Adenosine triphosphate citrate lyase, liver, hen, increased activity of, with the onset of egg-laying (Pearce, J.) 717

Adipose tissue, brown, evidence for the presence of a pool of glycerides with a rapid rate of turnover in, from newborn rabbits (Knight, B. L.) 485

Adrenal-gland medulla, ox, effects of salts on catecholamine fluxes and adenosine triphosphatase activity in catecholamine-storage vesicles from (Taugner, G.) 219

Aerobacter cloacae, relationships between β-lactamases specified by episomal R-factors and by chromosomes in, and other Gram-negative bacteria (Dale, J. W. & Smith, J. T.) 507

L-Alanine–glyoxylate aminotransferase, regulation by glucagon *in vivo* of the activity of, in rat liver (Snell, K.) 657

D-Alanyl-D-alanine, *C*-terminal, modifications of peptides containing, that affect complex-formation with vancomycin (Nieto, M. & Perkins, H. R.) 789

Albumin, serum, intracellular and extracellular, biosynthesis of, in rat liver (Judah, J. D. & Nicholls, M. R.) 649

Albumin, serum, intracellular, separation of, from rat liver (Judah, J. D. & Nicholls, M. R.) 643

Alcohol dehydrogenase, decreased thermal stability of, in the presence of oxidized nicotinamide–adenine dinucleotide or oxidized nicotinamide–adenine dinucleotide phosphate (Wiseman, A., Hanley, H. O. & Williams, N. J.) 8P

Alkaline phosphatase, *see* Phosphatase, alkaline

Alkaline proteinase, *see* Proteinase, alkaline

Alkaline ribonuclease, *see* Ribonuclease, alkaline

Allergic encephalomyelitis, experimental, amino acid sequence of the encephalitogenic protein producing (Carnegie, P. R.) 57

Allergic encephalomyelitis, experimental, isolation and partial characterization of methyl derivatives of arginine from the encephalitogenic protein producing (Baldwin, G. S. & Carnegie, P. R.) 69

Allocholic acid, identification of, as a bile acid in germ-free chicks (Haslewood, G. A. D.) 15

Amine dehydrogenase, spectral and kinetic properties of, obtained from methylamine-grown *Pseudomonas* AM1 (Eady, R. R. & Large, P. J.) 757

Amino acid composition of deoxyribonucleic acid-dependent ribonucleic acid polymerase from *Escherichia coli* (Nicholson, B. H.) 117

Amino acid compositions, carbohydrate and, of glycopeptides isolated from pig thyroglobulin (Fukuda, M. & Egami, F.) 407
Amino acid compositions of four proteins purified from human parotid saliva (Bennick, A. & Connell, G. E.) 455
Amino acid compositions of three intracellular peptides isolated from a cephalosporin C-producing *Cephalosporium* sp. (Loder, P. B. & Abraham, E. P.) 471
Amino acid compositions, total, computer analysis of protein mixtures on the basis of (Sheldrick, B.) 996
Amino acid residues, aromatic, location of, in the molecule of deoxyribonucleic acid-dependent ribonucleic acid polymerase from *Escherichia coli* (Nicholson, B. H.) 117
Amino acid sequence of a κ-type light chain of a human myeloma protein (Milstein, C. P. & Deverson, E. V.) 945
Amino acid sequence of protein SCMKB-IIIB3 isolated from reduced Merino wool (Haylett, T., Swart, L. S. & Parris, D.) 191
Amino acid sequence of protein SCMKB-IIIB4 isolated from reduced Merino wool (Swart, L. S. & Haylett, T.) 201
Amino acid sequence of the encephalitogenic protein from human myelin (Carnegie, P. R.) 57
Amino acid sequences around four cysteine residues in trout actin (Bridgen, J.) 591
Amino acids, effects of glucose and other modifiers of insulin release on the oxidative metabolism of, in microdissected pancreatic islets of Langerhans from obese–hyperglycaemic mice (Hellman, B., Sehlin, J. & Täljedal, I.-B.) 513
Amino acids, incorporation of, into intracellular and extracellular serum albumin in rat liver (Judah, J. D. & Nicholls, M. R.) 649
α-Amino group, protonated, requirement for, for the transport of peptides in *Escherichia coli* (Payne, J. W.) 245
α-Aminoadipic acid, biosynthesis of three peptides containing cysteine and, in extracts of a cephalosporin C-producing *Cephalosporium* sp. (Loder, P. B. & Abraham, E. P.) 477
α-Aminoadipic acid, isolation and nature of three intracellular peptides containing cysteine and, from a cephalosporin C-producing *Cephalosporium* sp. (Loder, P. B. & Abraham, E. P.) 471
γ-Aminobutyrate, computer model of the metabolism of glutamate, glutamine and, and the tricarboxylic acid cycle in mouse brain (Van den Berg, C. J. & Garfinkel, D.) 211
Amylopectins, structures of glycogens and (Whelan, W. J.) 1P
β-Amyrin, biosynthesis of, in plants (Goodwin, T. W.) 293
Androgens, dynamics of the uptake and metabolism of, by normal and hyperplastic human prostate gland *in vitro* (Giorgi, E. P., Stewart, J. C., Grant, J. K. & Scott, R.) 41
Androgens, transformation of progesterone into, by an extract of rat testis microsomal fraction (Ford, H. C. & O'Donnell, V. J.) 105
Androstenedione, dynamics of the uptake and metabolism of, and other androgens by normal and hyperplastic human prostate gland *in vitro* (Giorgi, E. P., Stewart, J. C., Grant, J. K. & Scott, R.) 41
[4-^{14}C]Androst-4-ene-3,17-dione, metabolism *in vitro* of, by livers from normal and carbon tetrachloride-poisoned rats (Martin, F. M. & Beary, M. E.) 44P
Androstenedione, transformation of progesterone into, and testosterone by an extract of rat testis microsomal fraction (Ford, H. C. & O'Donnell, V. J.) 105
Aniline, use of the fluorescent probe 1-anilinonaphthalene-8-sulphonate for the study of the role of phospholipids in the hydroxylation of, by rat liver microsomal fraction (Eling, T. E. & DiAugustine, R. P.) 539
1-Anilinonaphthalene-8-sulphonate, use of, as a fluorescent probe for the study of the role of phospholipids in the binding and metabolism of drugs by rat liver microsomal fraction (Eling, T. E. & DiAugustine, R. P.) 539
Antibodies, haemagglutinating, specificities of, evoked by members of the cephalosporin C family and by benzylpenicillin (Hamilton-Miller, J. M. T. & Abraham, E. P.) 183
Antibody, use of precipitation with, followed by ion-exchange chromatography for the separation of intracellular serum albumin from rat liver (Judah, J. D. & Nicholls, M. R.) 643
Arginine, isolation and partial characterization of methyl derivatives of, from the encephalitogenic protein from ox spinal-cord myelin (Baldwin, G. S. & Carnegie, P. R.) 69
Aryl sulphotransferases, two, thiol-dependent changes in the properties of, from rat liver (Barford, D. J. & Jones, J. G.) 427
N-Arylacetamides, deacetylation of, *in vitro* by liver microsomal preparations from various species (Gorrod, J. W.) 10P
Aspartic acid residue, irreversible inactivation of pig pepsin C by the reaction of diazoacetyl-DL-norleucine methyl ester with the β-carboxyl group of, at the active site (Kay, J. & Ryle, A. P.) 75
Asterias rubens, *see* Starfish
Atria, rat, properties and factors influencing the activity of alkaline phosphatase in (Müller, E., Pearse, A. G. E. & Moss, D. W.) 895
Autoimmune encephalomyelitis, *see* Allergic encephalomyelitis
Azobilirubin, separation and structural analysis of vinyl and isovinyl derivatives of (Jansen, F. H. & Stoll, M. S.) 12P

Bacillus subtilis 168, comparison of the properties of alkaline phosphatase from sporulating cells and vegetative cells of (Glenn, A. R. & Mandelstam, J.) 129
Bacillus subtilis Marburg 168, appearance of sulpholactate as a marker event for sporulation in (Wood, D. A.) 601
Bacillus thermoproteolyticus, hydrolysis by thermolysin from, of *N*-acetylated dipeptides containing *S*-substituted cysteine (Damoglou, A. P., Lindley, H. & Stapleton, I. W.) 379
Bacteriophage ϕX174, optical rotatory dispersion and circular dichroism of superhelical deoxyribonucleic acid from (Campbell, A. M. & Lochhead, D. S.) 661
Bean, broad (*Vicia faba*), molecular integrity of ribosomal ribonucleic acid of chloroplasts from leaves of (Leaver, C. J. & Ingle, J.) 235
Bean, French (*Phaseolus vulgaris*), molecular integrity of ribosomal ribonucleic acid of chloroplasts from leaves of (Leaver, C. J. & Ingle, J.) 235
(+)-Benzphetamine, use of the fluorescent probe 1-anilinonaphthalene-8-sulphonate for the study of the role of phospholipids in the *N*-demethylation of, by rat liver microsomal fraction (Eling, T. E. & DiAugustine, R. P.) 539
Benzylpenicillin, specificities of haemagglutinating antibodies evoked by members of the cephalosporin C family and by (Hamilton-Miller, J. M. T. & Abraham, E. P.) 183
Beta vulgaris var. *cicla*, *see* Swisschard
BHK cells, *see* Kidney cells, baby-hamster

Bile salts, characterization of, of germ-free domestic fowl and pigs (Haslewood, G. A. D.) 15
Bilirubin, tautomerism and hydrogen-bonding in (Hutchinson, D. W., Johnson, B. & Knell, A. J.) 483
Brain, chick, developing, synthesis and decay of histone fractions and of deoxyribonucleic acid in (Bondy, S. C.) 465
Brain cortex, guinea-pig, influence of the intracellular concentration of sodium ions on the uptake of L-[^{14}C]-valine by chopped tissue from (Jones, C. T. & Banks, P.) 341
Brain cortex, ox, elucidation of the reaction mechanisms of mitochondrial and cytoplasmic hexokinases from, by substrate and dead-end inhibitor kinetic analysis (Bachelard, H. S., Clark, A. G. & Thompson, M. F.) 707
Brain cortex, rat, stimulation by potassium ions of the oxidation of pyruvate by mitochondria from, *in vitro* (Nicklas, W. J., Clark, J. B. & Williamson, J. R.) 83
Brain, human, amino acid sequence of the encephalitogenic protein from myelin of (Carnegie, P. R.) 57
Brain, mouse, computer model of the metabolism of glutamate, glutamine, γ-aminobutyrate and the tricarboxylic acid cycle in (Van den Berg, C. J. & Garfinkel, D.) 211
Brain, rat, adult and developing, turnover of myelin phospholipids in (Jungalwala, F. B. & Dawson, R. M. C.) 683
Brewing syrup, wheat-based, amino acid composition of (Groat, J. I.) 3P
Broad bean, *see* Bean, broad
1-Bromo-1-chloro-2,2,2-trifluoroethane, stimulatory effect of, on lipid peroxidation in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 805
Bromotrichloromethane, stimulatory effect of, on lipid peroxidation in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 805

Calcium ions, binding of, by mammalian erythrocytes and 'ghost'-cell membranes (Long, C. & Mouat, B.) 829
Calcium ions, inhibition by, of phosphatidylinositol biosynthesis and breakdown in pig thyroid gland (Jungalwala, F. B., Freinkel, N. & Dawson, R. M. C.) 19
Calcium-sensitizing factor (troponin A), molecular weight of, of myofibrils from rabbit skeletal muscle (Schaub, M. C. & Perry, S. V.) 367
Carbohydrate composition, isolation from chicken eggs of ovomucoid variants differing in (Beeley, J. G.) 399
Carbohydrate composition of the oligosaccharide units of a human type L macroglobulin (Johnson, I. & Clamp, J. R.) 739
Carbohydrate compositions, amino acid and, of glycopeptides isolated from pig thyroglobulin (Fukuda, M. & Egami, F.) 407
Carbohydrate, system for the study of the pentose phosphate pathway for the metabolism of, in rabbit liver *in situ* (Williams, J. F., Rienits, K. G. & Clark, M. G.) 915
Carbon tetrachloride, inhibition by free-radical scavengers and other agents of the stimulatory effect of, on lipid peroxidation in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 823
Carbon tetrachloride, involvement of interaction sites in the endoplasmic reticulum in the stimulatory effect of, on lipid peroxidation in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 815
Carbon tetrachloride, stimulatory effect of, on lipid peroxidation in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 805
Cardiomyopathy, deoxyribonucleic acid-dependent ribonucleic acid polymerase activity in heart nuclei from hamsters suffering from (Bester, A. J.) 675
Carotenes, cyclic, biosynthesis of, in plants and bacteria (Goodwin, T. W.) 293
Carotenoids, biosynthesis of, in plants and bacteria (Goodwin, T. W.) 293
Cartilage, articular, pig, extraction of protein–polysaccharides associated with collagen from (Brandt, K. D. & Muir, H.) 747
Cartilage, use of immunoinhibition to confirm a role of cathepsin D in the breakdown of (Dingle, J. T., Barrett, A. J. & Weston, P. D.) 1
Catabolite repression, transient and severe, effect of point mutations in the *lac* promoter on, of the *lac* operon of *Escherichia coli* (Yudkin, M. D.) 579
Catecholamine, effects of salts on the fluxes of, and adenosine triphosphatase activity in catecholamine-storage vesicles from ox adrenal-gland medulla (Taugner, G.) 219
Catecholamine-storage vesicles, effects of salts on catecholamine fluxes and adenosine triphosphatase activity in, from ox adrenal-gland medulla (Taugner, G.) 219
Cathepsin D, lysosomal, characteristics of the immunoinhibition of, and its use to confirm a role of the enzyme in cartilage breakdown (Dingle, J. T., Barrett, A. J. & Weston, P. D.) 1
Cations, bivalent, role of, in the uptake of tetracycline by membrane preparations from *Escherichia coli* (Franklin, T. J.) 267
Cell walls, bacterial, interaction of concanavalin A with (Archibald, A. R. & Coapes, H. E.) 665
Cells, kidney, baby-hamster, identification of the mitochondrial ribosomes of (Coote, J. L., Rabbitts, T. H. & Work, T. S.) 279
Cells, mast, P815Y, cultured, different effects of thymidine and 5-fluorouracil 2′-deoxyriboside on biosynthetic events in (Bergeron, J. J. M.) 385
Cells, parenchymal, liver, rat, isolated, role of the plasma membrane in the uptake of fatty acids by (Wright, J. D. & Green, C.) 837
Cells, retina, further characterization of a protein promoting aggregation of (Creaser, E. H. & Russell, L. M.) 127
Cephalosporin C, specificities of haemagglutinating antibodies evoked by, and related compounds and by benzylpenicillin (Hamilton-Miller, J. M. T. & Abraham, E. P.) 183
Cephalosporium sp., cephalosporin C-producing, biosynthesis of three peptides containing α-aminoadipic acid and cysteine in extracts of (Loder, P. B. & Abraham, E. P.) 477
Cephalosporium sp., cephalosporin C-producing, isolation and nature of three intracellular peptides from (Loder, P. B. & Abraham, E. P.) 471
Cerebral cortex, chick, developing, synthesis and decay of histone fractions and of deoxyribonucleic acid in (Bondy, S. C.) 465
Cerebral cortex, guinea-pig, influence of the intracellular concentration of sodium ions on the uptake of L-[^{14}C]-valine by chopped tissue from (Jones, C. T. & Banks, P.) 341
Cerebral cortex, ox, elucidation of the reaction mechanisms of mitochondrial and cytoplasmic hexokinases from, by substrate and dead-end inhibitor kinetic analysis (Bachelard, H. S., Clark, A. G. & Thompson, M. F.) 707
Cerebral cortex, rat, stimulation by potassium ions of the oxidation of pyruvate by mitochondria from, *in vitro* (Nicklas, W. J., Clark, J. B. & Williamson, J. R.) 83
Chenodeoxycholic acid, identification of, as a bile acid in germ-free chicks and pigs (Haslewood, G. A. D.) 15
Chick, developing, synthesis and decay of histone fractions and of deoxyribonucleic acid in brain of (Bondy, S. C.) 465

Chick embryo, changes in the proportions of two mitochondrial populations in liver of, during development (Pollak, J. K. & Woog, M.) 347
Chick embryo, pattern of synthesis of ribonucleic acid species under the action of spermine in (Barbiroli, B., Corti, A. & Caldarera, C. M.) 123
Chicken eggs, isolation from, of ovomucoid variants differing in carbohydrate composition (Beeley, J. G.) 399
Chicken, sexually immature and mature, lipogenic and glycolytic enzyme activities in the liver of (Pearce, J.) 717
Chlamydomonas reinhardii, molecular integrity of ribosomal ribonucleic acid of chloroplasts from (Leaver, C. J. & Ingle, J.) 235
Chloride, effects of, on catecholamine fluxes and adenosine triphosphatase activity in catecholamine-storage vesicles from ox adrenal-gland medulla (Taugner, G.) 219
β-Chloro-L-alanine methyl ester, irreversible inhibition of ox liver L-glutamate dehydrogenase by (Tudball, N. & Thomas, P.) 421
Chloroform, stimulatory effect of, on lipid peroxidation in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 805
Chloroplasts, molecular integrity of ribosomal ribonucleic acid of, from various species (Leaver, C. J. & Ingle, J.) 235
Chlorpromazine, inhibition by, of phosphatidylinositol biosynthesis and breakdown in pig thyroid gland (Jungalwala, F. B., Freinkel, N. & Dawson, R. M. C.) 19
Cholesterol, compartmentation of cholesteryl esters and, in superovulated rat ovary (Flint, A. P. F. & Armstrong, D. T.) 143
Cholesterol, role of the adenosine 3′:5′-cyclic monophosphate-dependent accumulation of a steroid carboxylic acid in the control of the biosynthesis of, by a rat liver supernatant fraction (Bloxham, D. P. & Akhtar, M.) 275
Cholesteryl esters, compartmentation of cholesterol and, in superovulated rat ovary (Flint, A. P. F. & Armstrong, D. T.) 143
Cholesteryl 14-methylhexadecanoate, role of, in the activity of peptide-elongation factors purified from rat liver and human tonsils (Hradec, J., Dušek, Z., Bermek, E. & Matthaei, H.) 959
Cholic acid, identification of, as a bile acid in germ-free chicks and pigs (Haslewood, G. A. D.) 15
Chondroitin sulphate, proportions of, in the glycosaminoglycans isolated from the urine of subjects suffering from Hurler's syndrome, Hunter's syndrome and Morquio's syndrome (Dean, M. F., Muir, H. & Ewins, R. J. F.) 883
Chondroitin sulphate–proteins, extraction of, associated with collagen from pig articular cartilage (Brandt, K. D. & Muir, H.) 747
Chondroitin sulphates, rapid oxidation of, and other glycols by periodic acid in organic solvents (Scott, J. E. & Tigwell, M. J.) 46P
Chromosomes, relationships between β-lactamases specified by episomal R-factors and by, in Gram-negative bacteria (Dale, J. W. & Smith, J. T.) 507
CIBA Medal Lecture, fifth: biosynthesis of carotenoids and plant triterpenes (Goodwin, T. W.) 293
Citrate, transport of, by two *Pseudomonas* spp. (Lawford, H. G. & Williams, G. R.) 571
Citrate-cleavage enzyme, *see* Adenosine triphosphate citrate lyase
Citric acid cycle, *see* Tricarboxylic acid cycle
Collagen, extraction of protein–polysaccharides associated with, from pig articular cartilage (Brandt, K. D. & Muir, H.) 747
Collagenase, latent, released by bone and skin explants in culture (Vaes, G.) 23P
Computer, use of, for the analysis of protein mixtures on the basis of their total amino acid compositions (Sheldrick, B.) 996
Computer, use of, for the construction of a model of the metabolism of glutamate, glutamine, γ-aminobutyrate and the tricarboxylic acid cycle in mouse brain (Van den Berg, C. J. & Garfinkel, D.) 211
Concanavalin A, interaction of, with teichoic acids and bacterial cell walls (Archibald, A. R. & Coapes, H. E.) 665
Cortisol, effects of salicylate *in vitro* and *in vivo* on the activity of rat liver tryptophan pyrrolase induced by (Badawy, A. A.-B. & Smith, M. J. H.) 171
Cotyledons, flax, changes in the transcription pattern of, after inoculation with flax rust (Chakravorty, A. K. & Shaw, M.) 551
Cyclamate, *see* *N*-Cyclohexylsulphamate
N-Cyclohexylsulphamate (cyclamate), conversion of, into cyclohexylamine by gut bacteria (Drasar, B. S., Renwick, A. G. & Williams, R. T.) 26P
Cysteine, biosynthesis of three peptides containing α-aminoadipic acid and, in extracts of a cephalosporin C-producing *Cephalosporium* sp. (Loder, P. B. & Abraham, E. P.) 477
Cysteine, isolation and nature of three intracellular peptides containing α-aminoadipic acid and, from a cephalosporin C-producing *Cephalosporium* sp. (Loder, P. B. & Abraham, E. P.) 471
Cysteine residues, four, amino acid sequences around, in trout actin (Bridgen, J.) 591
Cysteine, *S*-substituted, hydrolysis by thermolysin of *N*-acetylated dipeptides containing (Damoglou, A. P., Lindley, H. & Stapleton, I. W.) 379
Cytochrome *c* oxidase, changes in the activity of, in chick-embryo liver mitochondria during development (Pollak, J. K. & Woog, M.) 347
Cytochrome *P*-450, effects of linoleic acid, peroxidation and antioxidants on the induction of, in rat liver (McLean, A. E. M. & Marshall, W. J.) 28P
Cytochromes, mitochondrial, mammalian, interaction of nitrite with (Burger, I. H., Walters, C. L. & Parke, D. V.) 9P
Cytosol, elucidation of the reaction mechanisms of mitochondrial hexokinase and the hexokinase of, from ox cerebral cortex by substrate and dead-end inhibitor kinetic analysis (Bachelard, H. S., Clark, A. G. & Thompson, M. F.) 707
Cytosol, liver, enzymic *N*-acetylation of *N*-hydroxy-2-aminofluorene by, from various species (Lotlikar, P. D. & Luha, L.) 287

Dehydroepiandrosterone, thiol-dependent changes in the properties of an aryl sulphotransferase from rat liver catalysing the sulphation of (Barford, D. J. & Jones, J. G.) 427
Deoxycholate, sodium, use of, for the solubilization of pig lymphocyte plasma membrane (Allan, D. & Crumpton, M. J.) 967
2-Deoxy-D-glucose, inhibition by, of ox cerebral-cortex mitochondrial and cytoplasmic hexokinases (Bachelard, H. S., Clark, A. G. & Thompson, M. F.) 707
Deoxyribonuclease, acid, activity of, in purified calf thymus-gland nuclei (Slor, H. & Lev, T.) 993
Deoxyribonucleic acid, determination of the relative amounts of deoxyribonucleic acid from the nucleolar organizer region in preparations of, from wild-type and mutant stocks of the fruitfly (*Drosophila melanogaster*) by hybridization with ^{3}H-labelled 28S ribosomal ribonucleic acid (Quincey, R. V.) 227

Deoxyribonucleic acid, evidence for the ethylation of, in rat liver after the administration of ethionine (Swann, P. F., Pegg, A. E., Hawks, A., Farber, E. & Magee, P. N.) 175
Deoxyribonucleic acid, newly synthesized and older, methylation of (Adams, R. L. P.) 38P
Deoxyribonucleic acid, superhelical, optical rotatory dispersion and circular dichroism of (Campbell, A. M. & Lochhead, D. S.) 661
Deoxyribonucleic acid, synthesis and decay of histones and, in developing chick brain (Bondy, S. C.) 465
Deoxyribonucleic acids, chromatography of digests of, on thin layers of cellulose impregnated with polyethyleneimine (Southern, E. M. & Mitchell, A. R.) 613
Dermatan sulphate, proportions of, in the glycosaminoglycans isolated from the urine of subjects suffering from Hurler's syndrome, Hunter's syndrome and Morquio's syndrome (Dean, M. F., Muir, H. & Ewins, R. J. F.) 883
Development, changes in the proportions of two mitochondrial populations in chick-embryo liver during (Pollak, J. K. & Woog, M.) 347
Development, synthesis and decay of histone fractions and of deoxyribonucleic acid in chick brain during (Bondy, S. C.) 465
Development, turnover of myelin phospholipids in rat brain during (Jungalwala, F. B. & Dawson, R. M. C.) 683
NN'-Diacetyl-L-lysyl-D-alanyl-D-alanine, physicochemical properties of vancomycin and iodovancomycin and their complexes with (Nieto, M. & Perkins, H. R.) 773
Dianabol, *see* 17β-Hydroxy-17α-methylandrostan-1,4-dien-3-one
Diazoacetyl-DL-norleucine methyl ester, irreversible inactivation of pig pepsin C by the reaction of, with the β-carboxyl group of an aspartic acid residue at the active site (Kay, J. & Ryle, A. P.) 75
Diethylnitrosamine, effects of inducers of drug-metabolizing enzymes on the metabolism and toxicity of, in the rat (Magour, S. & Nievel, J. G.) 8P
Diethylstilboestrol, focal point of the primary action of, on the lysosomal membrane complex of rat preputial gland and uterus (Szego, C. M., Seeler, B. J., Steadman, R. A., Hill, D. F., Kimura, A. K. & Roberts, J. A.) 523
5α-Dihydrotestosterone, dynamics of the uptake and metabolism of, and other androgens by normal and hyperplastic human prostate gland *in vitro* (Giorgi, E. P., Stewart, J. C., Grant, J. K. & Scott, R.) 41
Dihydroubiquinones, isoprenoid phenol and quinone precursors of ubiquinones and, in fungi (Ah Law, Threlfall, D. R. & Whistance, G. R.) 331
3,4-Dihydroxyphenethylamine β-hydroxylase, transsynaptic induction of, in adrenergic tissues of the rat (Molinoff, P. B., Brimijoin, S. & Axelrod, J.) 32P
Dipeptides, *N*-acetylated, hydrolysis by thermolysin of, containing *S*-substituted cysteine (Damoglou, A. P., Lindley, H. & Stapleton, I. W.) 379
NN'-Diphenyl-*p*-phenylenediamine, inhibition by, of the stimulatory effect of carbon tetrachloride on lipid peroxidation in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 823
Domestic fowl, *see* Chicken
Dopamine, *see* 3,4-Dihydroxyphenethylamine
Drosophila melanogaster, *see* Fruitfly
Drug metabolism, use of the fluorescent probe 1-anilinonaphthalene-8-sulphonate for the study of the role of phospholipids in, by rat liver microsomal fraction (Eling, T. E. & DiAugustine, R. P.) 539

Egg, chicken, isolation from, of ovomucoid variants differing in carbohydrate composition (Beeley, J. G.) 399
Electrophorus electricus, number of catalytic sites in acetylcholinesterase from electric tissue of (Leuzinger, W.) 139
Encephalitogenic protein, amino acid sequence of, from human myelin (Carnegie, P. R.) 57
Encephalitogenic protein, isolation and partial characterization of methyl derivatives of arginine from, from ox spinal-cord myelin (Baldwin, G. S. & Carnegie, P. R.) 69
Encephalomyelitis, allergic, experimental, amino acid sequence of the encephalitogenic protein producing (Carnegie, P. R.) 57
Encephalomyelitis, allergic, experimental, isolation and partial characterization of methyl derivatives of arginine from the encephalitogenic protein producing (Baldwin, G. S. & Carnegie, P. R.) 69
Endoplasmic reticulum, *see* Reticulum, endoplasmic
Entodinium caudatum, catabolism of phosphatidylethanolamine by, and its conversion into the *N*-(1-carboxyethyl) derivative (Coleman, G. S., Kemp, P. & Dawson, R. M. C.) 97
Enzyme systems, steady-state, simplest, effects of hydrogen ion concentration on (Ottolenghi, P.) 445
Episomes, characterization of the β-lactamase specified by resistance factor R-1818 carried by, in *Escherichia coli* K12 and other Gram-negative bacteria (Dale, J. W.) 501
Episomes, purification and properties of the β-lactamase specified by resistance factor R-1818 carried by, in *Escherichia coli* and *Proteus mirabilis* (Dale, J. W. & Smith, J. T.) 493
Episomes, relationships between β-lactamases specified by chromosomes and by R-factors carried by, in Gram-negative bacteria (Dale, J. W. & Smith, J. T.) 507
2,3-Epoxypropyl phosphate, irreversible inactivation of rabbit skeletal-muscle triose phosphate isomerase by the reaction of, with a glutamic acid residue at the active site (Miller, J. C. & Waley, S. G.) 163
Erythrocytes, mammalian, binding of calcium ions by (Long, C. & Mouat, B.) 829
Erythrocytes, rabbit, agglutination of, by antibodies evoked by members of the cephalosporin C family and by benzylpenicillin (Hamilton-Miller, J. M. T. & Abraham, E. P.) 183
Escherichia coli, adenine-deficient, limitation of glycolysis in (Burton, K.) 585
Escherichia coli, effect of point mutations in the *lac* promoter on transient and severe catabolite repression of the *lac* operon of (Yudkin, M. D.) 579
Escherichia coli K12, accumulation of farnesylfarnesylgeraniol by a multiple aromatic auxotroph of, and its relevance to the biosynthesis of ubiquinone (Hamilton, J. A. & Cox, G. B.) 435
Escherichia coli K12, characterization of the β-lactamase specified by the resistance factor R-1818 in (Dale, J. W.) 501
Escherichia coli, location of aromatic amino acid residues and the helix content of the molecule of deoxyribonucleic acid-dependent ribonucleic acid polymerase from (Nicholson, B. H.) 117
Escherichia coli M.R.E. 600, biosynthesis *in vitro* of tryptophanase by polyribosomes from induced cultures of (Khairul Bashar, S. A. M., Parish, J. H. & Brown, M.) 355
Escherichia coli, purification and properties of the β-lactamase specified by the resistance factor R-1818 in (Dale, J. W. & Smith, J. T.) 493
Escherichia coli, requirement for the protonated α-amino group for the transport of peptides in (Payne, J. W.) 245
Escherichia coli, uptake of tetracycline by membrane preparations from (Franklin, T. J.) 267

Escherichia coli, utilization of peptides containing *N*-terminal proline by (Payne, J. W.) 255
Estradiol, *see* Oestradiol
Estrogen, *see* Oestrogen
Estrone, *see* Oestrone
Ethanol, action of fructose on the metabolism of, by intact isolated liver cells (Berry, M. N.) 40P
Ethanol, action of pyruvate on the oxidation of, by intact isolated liver cells (Berry, M. N.) 41P
Ethanolamine plasmalogen, turnover of, of myelin in adult and developing rat brain (Jungalwala, F. B. & Dawson, R. M. C.) 683
Ethionine, evidence for the ethylation of deoxyribonucleic acid in rat liver after the administration of (Swann, P. F., Pegg, A. E., Hawks, A., Farber, E. & Magee, P. N.) 175
7-Ethylguanine, evidence for the occurrence of, in deoxyribonucleic acid of rat liver after the administration of ethionine (Swann, P. F., Pegg, A. E., Hawks, A., Farber, E. & Magee, P. N.) 175
Euglena gracilis var. *saccarophila*, molecular integrity of ribosomal ribonucleic acid of chloroplasts from (Leaver, C. J. & Ingle, J.) 235

Factor X, coagulation, activation of, by insoluble trypsin (Howell, R. M. & Dupe, R. J.) 11P
Factor Xa, coagulation, determination of the operational molarity of solutions of ox α-chymotrypsin, trypsin, thrombin and, by spectrofluorometric titration (Roberts, D. V., Adams, R. W., Elmore, D. T., Jameson, G. W. & Kyle, W. S. A.) 41P
Farnesylfarnesylgeraniol, accumulation of, by a multiple aromatic auxotroph of *Escherichia coli* K12 and its relevance to the biosynthesis of ubiquinone (Hamilton, J. A. & Cox, G. B.) 435
Fat, brown, evidence for the presence of a pool of glycerides with a rapid rate of turnover in, from newborn rabbits (Knight, B. L.) 485
Fatty acid synthetase, dietary carbohydrate and the activity of, in rat liver and adipose tissue (Bruckdorfer, K. R., Khan, I. H. & Yudkin, J.) 7P
Fatty acids, role of the plasma membrane in the uptake of, by isolated rat liver parenchymal cells (Wright, J. D. & Green, C.) 837
Flax (*Linum usitatissimum*), changes in the transcription pattern of cotyledons of, after inoculation with flax rust (Chakravorty, A. K. & Shaw, M.) 551
Flax rust (*Melampsora lini*), changes in the transcription pattern of flax cotyledons after inoculation with (Chakravorty, A. K. & Shaw, M.) 551
Fluorocitrate, inhibition by, of citrate metabolism in two *Pseudomonas* spp. (Lawford, H. G. & Williams, G. R.) 571
Fluorotrichloromethane, stimulatory effect of, on lipid peroxidation in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 805
5-Fluorouracil 2′-deoxyriboside, different effects of thymidine and, on biosynthetic events in cultured P815Y mast cells (Bergeron, J. J. M.) 385
Folates, urinary excretion of, after oral administration of pteroyl-L-glutamate to the rat (Blair, J. A. & Dransfield, E.) 907
French bean, *see* Bean, French
Fructose 1,6-diphosphate, concentration and specific radioactivity of, after the infusion of specifically labelled glucose in a rabbit system *in situ* (Williams, J. F., Rienits, K. G., Schofield, P. J. & Clark, M. G.) 923
Fructose 6-phosphate, concentration and specific radioactivity of, after the infusion of specifically labelled glucose and ribose in a rabbit liver system *in situ* (Williams, J. F., Rienits, K. G., Schofield, P. J. & Clark, M. G.) 923
Fruitfly (*Drosophila melanogaster*), number and location of genes for 5S ribonucleic acid within the genome of (Quincey, R. V.) 227

α-D-Galactosidase, coffee-bean, determination of the anomeric configuration of the initial product of the hydrolysis of α-D-galactosyl fluoride by (Barnett, J. E. G.) 607
β-Galactosidase, effect of point mutations in the *lac* promoter on transient and severe catabolite repression of the synthesis of, in *Escherichia coli* (Yudkin, M. D.) 579
α-D-Galactosyl fluoride, determination of the anomeric configuration of the initial product of the hydrolysis of, by coffee-bean α-D-galactosidase (Barnett, J. E. G.) 607
Genes, number and location of, for 5S ribonucleic acid within the genome of the fruitfly (*Drosophila melanogaster*) (Quincey, R. V.) 227
Genome, number and location of genes for 5S ribonucleic acid within, of the fruitfly (*Drosophila melanogaster*) (Quincey, R. V.) 227
Glucagon, regulation by, *in vivo* of L-alanine–glyoxylate aminotransferase activity in rat liver (Snell, K.) 657
Glucoamylase, *Aspergillus*, determination of the anomeric configuration of the initial product of the hydrolysis of α-D-glucosyl fluoride by (Barnett, J. E. G.) 607
Gluconeogenesis, effects of metabolic acidosis and starvation on the regulation of, in rat kidney (Hems, D. A. & Brosnan, J. T.) 391
Gluconeogenesis, rate of, in a rabbit liver system *in situ* (Williams, J. F., Rienits, K. G. & Clark, M. G.) 915
Glucose, effects of, on the oxidative metabolism of amino acids in micro-dissected pancreatic islets of Langerhans from obese–hyperglycaemic mice (Hellman, B., Sehlin, J. & Täljedal, I.-B.) 513
D-Glucose, importance of the pentose phosphate pathway for the catabolism of, in the obligatory aerobic yeast *Rhodotorula gracilis* (Höfer, M., Brand, K., Deckner, K. & Becker, J.-U.) 855
Glucose, metabolic sequence and quantitative role of the pentose phosphate pathway for the metabolism of, in a rabbit liver system *in situ* (Williams, J. F., Rienits, K. G., Schofield, P. J. & Clark, M. G.) 923
Glucose 6-phosphatase, inhibition by carbon tetrachloride and other halogenoalkanes of the activity of, in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 805
Glucose 6-phosphatase, membrane-bound, decreased activity of, of the endoplasmic reticulum on the induction of lipid peroxidation in rat liver microsomal fraction (Wills, E. D.) 983
Glucose 6-phosphate, concentration and specific radioactivity of, after the infusion of specifically labelled glucose and ribose in a rabbit liver system *in situ* (Williams, J. F., Rienits, K. G., Schofield, P. J. & Clark, M. G.) 923
Glucose 6-phosphate, effects of metabolic acidosis and starvation on the content of, in rat kidney (Hems, D. A. & Brosnan, J. T.) 391
Glucose, system for the study of the pentose phosphate pathway for the metabolism of, in rabbit liver *in situ* (Williams, J. F., Rienits, K. G. & Clark, M. G.) 915
α-D-Glucosidase, intestinal, rat, determination of the anomeric configuration of the initial product of the hydrolysis of α-D-glucosyl fluoride by (Barnett, J. E. G.) 607
α-D-Glucosidase, yeast, determination of the anomeric configuration of the initial product of the hydrolysis of α-D-glucosyl fluoride by (Barnett, J. E. G.) 607

β-D-Glucosidase, emulsin, almond, determination of the anomeric configuration of the initial product of the hydrolysis of β-D-glucosyl fluoride by (Barnett, J. E. G.) 607
α-D-Glucosyl fluoride, determination of the anomeric configuration of the initial products of the hydrolysis of, by various α-D-glucosidases and by *Aspergillus* glucoamylase (Barnett, J. E. G.) 607
β-D-Glucosyl fluoride, determination of the anomeric configuration of the initial product of the hydrolysis of, by almond emulsin β-D-glucosidase (Barnett, J. E. G.) 607
Glutamate, computer model of the metabolism of γ-aminobutyrate, glutamine and, and the tricarboxylic acid cycle in mouse brain (Van den Berg, C. J. & Garfinkel, D.) 211
L-Glutamate dehydrogenase, liver, ox, inhibition of, by L-serine *O*-sulphate and related compounds and by photo-oxidation in the presence of Rose Bengal (Tudball, N. & Thomas, P.) 421
Glutamic acid residue, irreversible inactivation of rabbit skeletal-muscle triose phosphate isomerase by the reaction of glycidol phosphate with, at the active site (Miller, J. C. & Waley, S. G.) 163
Glutamine, computer model of the metabolism of γ-aminobutyrate, glutamate and, and the tricarboxylic acid cycle in mouse brain (Van den Berg, C. J. & Garfinkel, D.) 211
Glutarate, effects of, on catecholamine fluxes and adenosine triphosphatase activity in catecholamine-storage vesicles from ox adrenal-gland medulla (Taugner, G.) 219
Glycerides, evidence for the presence of a pool of, with a rapid rate of turnover in brown fat from newborn rabbits (Knight, B. L.) 485
Glycerylphosphorylethanolamine, formation of, from phosphatidylethanolamine by *Entodinium caudatum* (Coleman, G. S., Kemp, P. & Dawson, R. M. C.) 97
Glycidol phosphate, irreversible inactivation of rabbit skeletal-muscle triose phosphate isomerase by the reaction of, with a glutamic acid residue at the active site (Miller, J. C. & Waley, S. G.) 163
Glycine, requirement for the protonated α-amino group for the transport of peptides containing, in *Escherichia coli* (Payne, J. W.) 245
Glycogens, structures of amylopectins and (Whelan, W. J.) 1P
Glycolysis, activities of enzymes involved in lipogenesis and, in the liver of sexually immature and mature chickens (Pearce, J.) 717
Glycolysis, limitation of, in adenine-deficient *Escherichia coli* (Burton, K.) 585
Glycolysis, role of mitochondrial and cytoplasmic hexokinases in the regulation of, in ox cerebral cortex (Bachelard, H. S., Clark, A. G. & Thompson, M. F.) 707
Glycopeptide, highly polar, low-molecular-weight, identification in human urine of, containing cysteinylgalactose (Lote, C. J. & Weiss, J. B.) 25P
Glycopeptide, structure of, purified from pig thyroglobulin (Fukuda, M. & Egami, F.) 415
Glycopeptides, amino acid and carbohydrate compositions of, obtained from a human type L macroglobulin (Johnson, I. & Clamp, J. R.) 739
Glycopeptides, isolation and fractionation of, from pig thyroglobulin (Fukuda, M. & Egami, F.) 407
Glycoproteins, isolation and characterization of, of the water-soluble mucus from pig gastric cardiac mucosa (Snary, D. & Allen, A.) 845
Glycosaminoglycans, characterization of, obtained from protein–polysaccharides associated with collagen extracted from pig articular cartilage (Brandt, K. D. & Muir, H.) 747
Glycosaminoglycans, compositions of, isolated from the urine of subjects suffering from Hurler's syndrome, Hunter's syndrome and Morquio's syndrome (Dean, M. F., Muir, H. & Ewins, R. J. F.) 883
Glycosidases, determination of the anomeric configuration of the initial products of the hydrolysis of glycosyl fluorides by (Barnett, J. E. G.) 607
Glycosyl fluorides, determination of the anomeric configuration of the initial products of the hydrolysis of, by glycosidases (Barnett, J. E. G.) 607

Haemagglutinating antibodies, specificities of, evoked by members of the cephalosporin C family and by benzylpenicillin (Hamilton-Miller, J. M. T. & Abraham, E. P.) 183
Haemoprotein, microsomal, liver, new, induction of, in the rat by treatment with safrole and isosafrole (Parke, D. V. & Rahman, H.) 9P
Heart, cardiomyopathic-hamster, deoxyribonucleic acid-dependent ribonucleic acid polymerase activity in nuclei from (Bester, A. J.) 675
Heart, rat, properties and factors influencing the activity of alkaline phosphatase in (Müller, E., Pearse, A. G. E. & Moss, D. W.) 895
Hen, *see* Chicken
Henricia sanguinolenta, *see* Starfish
Heparan sulphate, proportions of, in the glycosaminoglycans isolated from the urine of subjects suffering from Hurler's syndrome, Hunter's syndrome and Morquio's syndrome (Dean, M. F., Muir, H. & Ewins, R. J. F.) 883
Hexokinase, baker's-yeast, slow transient kinetic process of (Shill, J. P. & Neet, K. E.) 283
Hexokinases, mitochondrial and cytoplasmic, elucidation of the reaction mechanisms of, from ox cerebral cortex by substrate and dead-end inhibitor kinetic analysis (Bachelard, H. S., Clark, A. G. & Thompson, M. F.) 707
Histidine residues, destruction of, in ox liver L-glutamate dehydrogenase inactivated by photo-oxidation in the presence of Rose Bengal (Tudball, N. & Thomas, P.) 421
Histones, control by adenine nucleotides and steroid hormones of the modification of, within chromatin (Burdon, R. H. & Pearce, C. A.) 37P
Histones, synthesis and decay of deoxyribonucleic acid and, in developing chick brain (Bondy, S. C.) 465
Hormones, moulting, insect, biosynthesis of, in plants (Goodwin, T. W.) 293
Hunter's syndrome, composition of the glycosaminoglycans isolated from the urine of two subjects suffering from (Dean, M. F., Muir, H. & Ewins, R. J. F.) 883
Hurler's syndrome, composition of the glycosaminoglycans isolated from the urine, liver and spleen of a subject suffering from (Dean, M. F., Muir, H. & Ewins, R. J. F.) 883
Hydrazine, formation of fluorescent derivatives of 4-hydroxyphenethylamine (tyramine), 4-hydroxy-3-methoxyphenethylamine (3-methoxytyramine) and related compounds by reaction with, in the presence of nitrous acid (Scott, P. H.) 977
Hydrocortisone, *see* Cortisol
Hydrogen-bonding, tautomerism and, in bilirubin (Hutchinson, D. W., Johnson, B. & Knell, A. J.) 483
Hydrogen ions, effects of the concentration of, on the simplest steady-state enzyme systems (Ottolenghi, P.) 445
N-Hydroxy-2-acetamidofluorene, formation of, by the enzymic *N*-acetylation of *N*-hydroxy-2-aminofluorene by liver cytosol from various species (Lotlikar, P. D. & Luha, L.) 287

N-Hydroxy-2-aminofluorene, enzymic *N*-acetylation of, by liver cytosol from various species (Lotlikar, P. D. & Luha, L.) 287
4-Hydroxybenzoate, evidence for the addition of an octaprenyl side chain to, in the biosynthesis of ubiquinone in *Escherichia coli* K12 (Hamilton, J. A. & Cox, G. B.) 435
N-(2-Hydroxyethyl)alanine-containing phospholipid, biosynthesis of, by *Entodinium caudatum* (Coleman, G. S., Kemp, P. & Dawson, R. M. C.) 97
3-Hydroxy-L-kynurenine, fluorescent derivatives of, in the lens of man, the baboon and the grey squirrel (van Heyningen, R.) 30P
17β-Hydroxy-17α-methylandrostan-1,4-dien-3-one, sensitive method for the detection of metabolites of, in human urine (Lawson, A. M. & Brooks, C. J. W.) 25P
4-Hydroxyphenethylamine (tyramine), formation of fluorescent derivatives of, and related compounds by reaction with hydrazine in the presence of nitrous acid (Scott, P. H.) 977
20α-Hydroxypregn-4-en-3-one, compartmentation of cholesterol and cholesteryl esters and the biosynthesis of, in superovulated rat ovary (Flint, A. P. F. & Armstrong, D. T.) 143
20α-Hydroxypregn-4-en-3-one, effect of vitamin A status on the content of, in the ovary of pregnant rats (Ganguly, J., Pope, G. S., Thompson, S. Y., Toothill, J., Edwards-Webb, J. D. & Waynforth, H. B.) 669
17-Hydroxyprogesterone, transformation of progesterone into, and androgens by an extract of rat testis microsomal fraction (Ford, H. C. & O'Donnell, V. J.) 105
Hyocholic acid, identification of, as a bile acid in germ-free pigs (Haslewood, G. A. D.) 15
Hyodeoxycholic acid, identification of, as a bile acid in germ-free pigs (Haslewood, G. A. D.) 15

Imidazole groups, carboxymethylation of, of human serum transferrin saturated with iron (Bezkorovainy, A. & Grohlich, D.) 125
Immunoglobulin G, human, amino acid sequence of a κ-type light chain of (Milstein, C. P. & Deverson, E. V.) 945
Immunoglobulin M, production of intermediates and excess of light chain during the biosynthesis of, in mouse plasma-cell tumour MOPC 104E (Parkhouse, R. M. E.) 635
Immunoglobulin M, role of the reversible blockage of thiol groups in the control of the assembly of, from intracellular 7S subunits in mouse plasma-cell tumour MOPC 104E (Askonas, B. A. & Parkhouse, R. M. E.) 629
Immunoglobulin M, type L, human, composition of the oligosaccharide units of (Johnson, I. & Clamp, J. R.) 739
Immunoinhibition, characteristics of, of lysosomal cathepsin D and its use to confirm a role of the enzyme in cartilage breakdown (Dingle, J. T., Barrett, A. J. & Weston, P. D.) 1
Indole, procedure for isolating mutants of *Escherichia coli* that are incapable of producing (Khairul Bashar, S. A. M., Parish, J. H. & Brown, M.) 355
Inhibitory factor (troponin B), characterization and properties of, of myofibrils from rabbit skeletal muscle (Schaub, M. C. & Perry, S. V.) 367
Insulin, effects of glucose and other modifiers of the release of, on the oxidative metabolism of amino acids in micro-dissected pancreatic islets of Langerhans from obese–hyperglycaemic mice (Hellman, B., Sehlin, J. & Täljedal, I.-B.) 513
Iodovancomycin, physicochemical properties of, and its complex with *NN'*-diacetyl-L-lysyl-D-alanyl-D-alanine (Nieto, M. & Perkins, H. R.) 773
Iron, carboxymethylation of the imidazole groups of human serum transferrin saturated with (Bezkorovainy, A. & Grohlich, D.) 125
Iron proteins, non-haem, possibility that vitamin E protects from oxidation the selenide that may form part of the active centre of an uncharacterized class of (Diplock, A. T., Baum, H. & Lucy, J. A.) 721
Islets of Langerhans, pancreatic, micro-dissected, effects of glucose and other modifiers of insulin release on the oxidative metabolism of amino acids in, from obese–hyperglycaemic mice (Hellman, B., Sehlin, J. & Täljedal, I.-B.) 513
Isocitrate dehydrogenase, effect of temperature acclimatization on the activities of isoenzymes of, in rainbow-trout liver (Moon, T. W. & Hochachka, P. W.) 695
Isoprenaline, induction by, of the synthesis of alkaline phosphatase in rat heart (Müller, E., Pearse, A. G. E. & Moss, D. W.) 895
Isoprenoid phenols and quinones, as precursors of ubiquinones and dihydroubiquinones in fungi (Ah Law, Threlfall, D. R. & Whistance, G. R.) 331

Keratan sulphate, presence of, in the glycosaminoglycans isolated from the urine of a subject suffering from Morquio's syndrome (Dean, M. F., Muir, H. & Ewins, R. J. F.) 883
Kidney cells, baby-hamster, identification of the mitochondrial ribosomes of (Coote, J. L., Rabbitts, T. H. & Work, T. S.) 279
Kidney, rat, effects of metabolic acidosis and starvation on the contents of intermediary metabolites in (Hems, D. A. & Brosnan, J. T.) 391
Kidney, subcellular distribution and response to acidosis of phosphoenolpyruvate carboxylase activity in, of various species (Flores, H. & Alleyne, G. A. O.) 35
Klebsiella aerogenes, relationships between β-lactamases specified by episomal R-factors and by chromosomes in, and other Gram-negative bacteria (Dale, J. W. & Smith, J. T.) 507

α-Lactalbumin, synthesis of, by polyribosomes isolated from the mammary gland of lactating guinea pigs (Fairhurst, E., McIlreavy, D. & Campbell, P. N.) 865
β-Lactamase, characterization of, specified by the resistance factor R-1818 in *Escherichia coli* K12 and other Gram-negative bacteria (Dale, J. W.) 501
β-Lactamase, purification and properties of, specified by the resistance factor R-1818 in *Escherichia coli* and *Proteus mirabilis* (Dale, J. W. & Smith, J. T.) 493
β-Lactamases, relationships between, specified by episomal R-factors and by chromosomes in Gram-negative bacteria (Dale, J. W. & Smith, J. T.) 507
Lactation, protein-synthesizing activity of ribosomes isolated from guinea-pig mammary gland during (Fairhurst, E., McIlreavy, D. & Campbell, P. N.) 865
[26,27-^{14}C,3α-^{3}H$_1$]Lanosterol, metabolism of, in the presence of adenosine 3′:5′-cyclic monophosphate by a rat liver supernatant fraction (Bloxham, D. P. & Akhtar, M.) 275
Lanthanum ions, inhibition by, of the binding of calcium ions by human erythrocytes (Long, C. & Mouat, B.) 829
Lecithin, *see* Phosphatidylcholine
L-[1-^{14}C]Leucine, incorporation of, into intracellular and extracellular serum albumin in rat liver (Judah, J. D. & Nicholls, M. R.) 649
Leucocytes, polymorphonuclear, rabbit, characterization of a neutral proteinase from lysosomes of (Davies, P., Rita, G. A., Krakauer, K. & Weissmann, G.) 559
Linum usitatissimum, *see* Flax

Lipid peroxidation, effects of, on the activities of membrane-bound enzymes of the endoplasmic reticulum in rat liver microsomal fraction (Wills, E. D.) 983
Lipid peroxidation, inhibition by free-radical scavengers and other agents of the stimulatory effect of carbon tetrachloride on, in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 823
Lipid peroxidation, involvement of interaction sites in the endoplasmic reticulum in the stimulatory effect of carbon tetrachloride on, in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 815
Lipid peroxidation, stimulatory effect of carbon tetrachloride and other halogenoalkanes on, in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 805
Lipogenesis, activities of enzymes involved in glycolysis and, in the liver of sexually immature and mature chickens (Pearce, J.) 717
β-Lipoprotein, immuno-electrophoretic assay of albumin and, in human aortic intima by direct electrophoresis from the tissue sample into an antibody-containing gel (Smith, E. B. & Slater, R. S.) 39P
Lipoproteins, high-density, plasma, human (Scanu, A.) 17P
Lipoproteins, high-density, serum, some physical approaches to the structure of (Leslie, R. B.) 17P
Lipoproteins, low-density (Lewis, B.) 15P
Lipoproteins, mechanism of the removal of triglyceride of, from the plasma (Robinson, D. S.) 20P
Lipoproteins, plasma (Symposium) 15P
Lipoproteins, plasma, biosynthesis of (Marsh, J. B.) 18P
Lipoproteins, plasma, clinical disorders of (Rifkind, B. M.) 21P
Lipoproteins, plasma, turnover of cholesterol of (Myant, N. B.) 19P
*Lipoproteins, very-low-density, and chylomicrons (Levy, R. I.) 15P
Liver, changes in the mitochondrial oxidation of succinate in, during exposure of rats to cold (Aithal, H. N. & Ramasarma, T.) 677
Liver, chick-embryo, changes in the proportions of two mitochondrial populations in, during development (Pollak, J. K. & Woog, M.) 347
Liver, chicken, sexually immature and mature, lipogenic and glycolytic enzyme activities in (Pearce, J.) 717
Liver, enzymic *N*-acetylation of *N*-hydroxy-2-aminofluorene by the cytosol fraction of, from various species (Lotlikar, P. D. & Luha, L.) 287
Liver, evidence for, being the site of the metabolism of sodium oestrone [^{35}S]sulphate in the rat (Dolly, J. O., Curtis, C. G., Dodgson, K. S. & Rose, F. A.) 261
Liver, ox, inhibition of L-glutamate dehydrogenase from, by L-serine *O*-sulphate and related compounds and by photo-oxidation in the presence of Rose Bengal (Tudball, N. & Thomas, P.) 421
Liver, rabbit, metabolic sequence and quantitative role of the pentose phosphate pathway in, *in situ* (Williams, J. F., Rienits, K. G., Schofield, P. J. & Clark, M. G.) 923
Liver, rabbit, system for the study of the pentose phosphate pathway in, *in situ* (Williams, J. F., Rienits, K. G. & Clark, M. G.) 915
Liver, rainbow-trout, effect of temperature acclimatization on the activities of isocitrate dehydrogenase isoenzymes in (Moon, T. W. & Hochachka, P. W.) 695
Liver, rat, biosynthesis of intracellular and extracellular serum albumin in (Judah, J. D. & Nicholls, M. R.) 649
Liver, rat, effect of starvation on the methylation of newly synthesized ribonucleic acid by isolated nuclei from (Rickwood, D. & Klemperer, H. G.) 731
Liver, rat, effect of vitamin E status on the oxidation state of selenium in (Diplock, A. T., Baum, H. & Lucy, J. A.) 721
Liver, rat, effects of lipid peroxidation on the activities of membrane-bound enzymes of the endoplasmic reticulum in microsomal fraction of (Wills, E. D.) 983
Liver, rat, effects of salicylate on the activity of tryptophan pyrrolase in, *in vitro* and *in vivo* (Badawy, A. A.-B. & Smith, M. J. H.) 171
Liver, rat, evidence for the ethylation of deoxyribonucleic acid in, after the administration of ethionine (Swann, P. F., Pegg, A. E., Hawks, A., Farber, E. & Magee, P. N.) 175
Liver, rat, inhibition by free-radical scavengers and other agents of the stimulatory effect of carbon tetrachloride on lipid peroxidation in fractions of, *in vitro* (Slater, T. F. & Sawyer, B. C.) 823
Liver, rat, involvement of interaction sites in the endoplasmic reticulum in the stimulatory effect of carbon tetrachloride on lipid peroxidation in fractions of, *in vitro* (Slater, T. F. & Sawyer, B. C.) 815
Liver, rat, purification and properties of a specific phenol sulphotransferase from (McEvoy, F. A. & Carroll, J.) 901
Liver, rat, regulation by glucagon *in vivo* of L-alanine–glyoxylate aminotransferase activity in (Snell, K.) 657
Liver, rat, role of cholesteryl 14-methylhexadecanoate in the activity of peptide-elongation factors purified from (Hradec, J., Dušek, Z., Bermek, E. & Matthaei, H.) 959
Liver, rat, role of the adenosine 3′:5′-cyclic monophosphate-dependent accumulation of a steroid carboxylic acid in the control of cholesterol biosynthesis by a supernatant fraction from (Bloxham, D. P. & Akhtar, M.) 275
Liver, rat, role of the plasma membrane in the uptake of fatty acids by isolated parenchymal cells from (Wright, J. D. & Green, C.) 837
Liver, rat, separation of intracellular serum albumin from (Judah, J. D. & Nicholls, M. R.) 643
Liver, rat, stimulatory effect of carbon tetrachloride and other halogenoalkanes on lipid peroxidation in fractions of, *in vitro* (Slater, T. F. & Sawyer, B. C.) 805
Liver, rat, thiol-dependent changes in the properties of two aryl sulphotransferases from (Barford, D. J. & Jones, J. G.) 427
Liver, rat, use of the fluorescent probe 1-anilinonaphthalene-8-sulphonate for the study of the role of phospholipids in the binding and metabolism of drugs by the microsomal fraction of (Eling, T. E. & DiAugustine, R. P.) 539
Lymphocytes, pig, solubilization of the plasma membrane of, and fractionation of some of the components (Allan, D. & Crumpton, M. J.) 967
Lysosomes, characteristics of the immunoinhibition of cathepsin D from, and its use to confirm a role of the enzyme in cartilage breakdown (Dingle, J. T., Barrett, A. J. & Weston, P. D.) 1
Lysosomes, heavy, isolation of, containing acid hydrolases and iron from rat spleen (Houghton, P. B., Jones-Williams, W. & Davies, M.) 28P
Lysosomes, polymorphonuclear-leucocyte, rabbit, characterization of a neutral proteinase from (Davies, P., Rita, G. A., Krakauer, K. & Weissmann, G.) 559
Lysosomes, preputial-gland and uterus, rat, focal point of primary steroid hormone action on the membrane complex of (Szego, C. M., Seeler, B. J., Steadman, R. A., Hill, D. F., Kimura, A. K. & Roberts, J. A.) 523

Macroglobulin, *see* Immunoglobulin M
Maize (*Zea mays*), molecular integrity of ribosomal ribonucleic acid of chloroplasts from leaves of (Ingle, C. J. & Ingle, J.) 235

Malate dehydrogenase, changes in the activity of, in chick-embryo liver mitochondria during development (Pollak, J. K. & Woog, M.) 347
Malate dehydrogenase (decarboxylating) (nicotinamide–adenine dinucleotide phosphate), liver, hen, increased activity of, with the onset of egg-laying (Pearce, J.) 717
'Malic' enzyme, *see* Malate dehydrogenase (decarboxylating) (nicotinamide–adenine dinucleotide phosphate)
Malonaldehyde, demonstration that the effects of lipid peroxidation on the activities of membrane-bound enzymes of the endoplasmic reticulum in rat liver microsomal fraction are not due to the production of (Wills, E. D.) 983
Malonaldehyde, inhibition by free-radical scavengers and other agents of the stimulatory effect of carbon tetrachloride on the production of, resulting from lipid peroxidation in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 823
Malonaldehyde, involvement of interaction sites in the endoplasmic reticulum in the stimulatory effect of carbon tetrachloride on the production of, resulting from lipid peroxidation in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 815
Malonaldehyde, stimulatory effect of carbon tetrachloride and other halogenoalkanes on the production of, resulting from lipid peroxidation in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 805
Mammary gland, protein-synthesizing activity of ribosomes isolated from, of lactating and pregnant guinea pigs (Fairhurst, E., McIlreavy, D. & Campbell, P. N.) 865
Mast cells, P815Y, cultured, different effects of thymidine and 5-fluorouracil 2′-deoxyriboside on biosynthetic events in (Bergeron, J. J. M.) 385
Melampsora lini, *see* Flax rust
Membrane, effects of lipid peroxidation on the activities of enzymes bound to, of the endoplasmic reticulum of rat liver microsomal fraction (Wills, E. D.) 983
Membrane, microsomal, liver, guinea-pig, reactivation by phospholipids and detergents of the phospholipase A-inactivated uridine diphosphate glucuronyltransferase activity of (Attwood, D., Graham, A. B. & Wood, G. C.) 875
Membrane, myelin, turnover of the phospholipids of, in adult and developing rat brain (Jungalwala, F. B. & Dawson, R. M. C.) 683
Membrane, plasma, *see* Plasma membrane
Membranes, erythrocyte-'ghost'-cell, mammalian, binding of calcium ions by (Long, C. & Mouat, B.) 829
Membranes, lysosomal, focal point of primary steroid hormone action on, of rat preputial gland and uterus (Szego, C. M., Seeler, B. J., Steadman, R. A., Hill, D. F., Kimura, A. K. & Roberts, J. A.) 523
Membranes, uptake of tetracycline by preparations of, from *Escherichia coli* (Franklin, T. J.) 267
Methamphetamine, *see* 2-Methylamino-1-phenylpropane
3-Methoxytyramine (4-hydroxy-3-methoxyphenethylamine), formation of fluorescent derivatives of, and related compounds by reaction with hydrazine in the presence of nitrous acid (Scott, P. H.) 977
Methylamine, spectral and kinetic properties of the amine dehydrogenase obtained from *Pseudomonas* AM1 grown on (Eady, R. R. & Large, P. J.) 757
2-Methylamino-1-phenylpropane (methamphetamine), metabolism of, in the rat and guinea pig (Caldwell, J., Dring, L. G. & Williams, R. T.) 27P
ω-*N*-Methylarginine, evidence for the presence of residues of, and di-ω-*N*-methylarginine in the encephalitogenic protein from ox spinal-cord myelin (Baldwin, G. S. & Carnegie, P. R.) 69
5-Methyltetrahydropteroyl-L-glutamate, identification of, in the urine as a major metabolite of orally administered pteroyl-L-glutamate in the rat (Blair, J. A. & Dransfield, E.) 907
[2-^{14}C]Mevalonate, incorporation of, into sterols in the starfish *Asterias rubens* and *Henricia sanguinolenta* (Smith, A. G. & Goad, L. J.) 671
(3*R*)-[2-^{14}C,2*S*-^{3}H$_1$]Mevalonate, metabolism of, in the presence of adenosine 3′:5′-cyclic monophosphate by a rat liver supernatant fraction (Bloxham, D. P. & Akhtar, M.) 275
Microsomal fraction, liver, guinea-pig, reactivation by phospholipids and detergents of the phospholipase A-inactivated membrane uridine diphosphate glucuronyltransferase activity of (Attwood, D., Graham, A. B. & Wood, G. C.) 875
Microsomal fraction, liver, rat, effect of vitamin E status on the oxidation state of selenium in (Diplock, A. T., Baum, H. & Lucy, J. A.) 721
Microsomal fraction, liver, rat, effects of lipid peroxidation on the activities of membrane-bound enzymes of the endoplasmic reticulum in (Wills, E. D.) 983
Microsomal fraction, liver, rat, inhibition by free-radical scavengers and other agents of the stimulatory effect of carbon tetrachloride on lipid peroxidation in, *in vitro* (Slater, T. F. & Sawyer, B. C.) 823
Microsomal fraction, liver, rat, involvement of interaction sites in the endoplasmic reticulum in the stimulatory effect of carbon tetrachloride on lipid peroxidation in, *in vitro* (Slater, T. F. & Sawyer, B. C.) 815
Microsomal fraction, liver, rat, stimulatory effect of carbon tetrachloride and other halogenoalkanes on lipid peroxidation in, *in vitro* (Slater, T. F. & Sawyer, B. C.) 805
Microsomal fraction, liver, rat, use of the fluorescent probe 1-anilinonaphthalene-8-sulphonate for the study of the role of phospholipids in the binding and metabolism of drugs by (Eling, T. E. & DiAugustine, R. P.) 539
Microsomal fraction, testis, rat, transformation of progesterone into 17-hydroxyprogesterone and androgens by an extract of (Ford, H. C. & O'Donnell, V. J.) 105
Microsomal fraction, thyroid-gland, pig, biosynthesis of phosphatidylinositol in (Jungalwala, F. B., Freinkel, N. & Dawson, R. M. C.) 19
Microsomal fraction, turnover of the phospholipids of, in adult and developing rat brain (Jungalwala, F. B. & Dawson, R. M. C.) 683
Mitochondria, cerebral-cortex, rat, stimulation by potassium ions of the oxidation of pyruvate by, *in vitro* (Nicklas, W. J., Clark, J. B. & Williamson, J. R.) 83
Mitochondria, changes in the proportions of two populations of, in chick-embryo liver during development (Pollak, J. K. & Woog, M.) 347
Mitochondria, elucidation of the reaction mechanisms of hexokinase from, and of cytoplasmic hexokinase from ox cerebral cortex by substrate and dead-end inhibitor kinetic analysis (Bachelard, H. S., Clark, A. G. & Thompson, M. F.) 707
Mitochondria, identification of the ribosomes of, of baby-hamster kidney cells (Coote, J. L., Rabbitts, T. H. & Work, T. S.) 279
Mitochondria, liver, changes in the oxidation of succinate by, during exposure of rats to cold (Aithal, H. N. & Ramasarma, T.) 677
Mitochondria, liver, rat, effect of vitamin E status on the oxidation state of selenium in (Diplock, A. T., Baum, H. & Lucy, J. A.) 721
Mitochondria, thyroid-gland, pig, rapid transfer of phosphatidylinositol from the microsomal fraction to (Jungalwala, F. B., Freinkel, N. & Dawson, R. M. C.) 19

Mitochondria, yeast, effects of depletion of unsaturated fatty acids on the energy-dependent reactions of (Haslam, J. M.) 6P
Morquio's syndrome, composition of the glycosaminoglycans isolated from the urine of a subject suffering from (Dean, M. F., Muir, H. & Ewins, R. J. F.) 883
Moulting hormones, insect, biosynthesis of, in plants (Goodwin, T. W.) 293
Mucopeptide precursors, effects on complex-formation with vancomycin of modifications of peptides containing *C*-terminal D-alanyl-D-alanine, analogues of (Nieto, M. & Perkins, H. R.) 789
Mucopeptide precursors, physicochemical properties of vancomycin and iodovancomycin and their complexes with *NN'*-diacetyl-L-lysyl-D-alanyl-D-alanine, an analogue of (Nieto, M. & Perkins, H. R.) 773
Mucopolysaccharidoses, compositions of the glycosaminoglycans isolated from the urine of subjects suffering from (Dean, M. F., Muir, H. & Ewins, R. J. F.) 883
Mucoprotein, *see* Glycoprotein
Mucosa, cardiac, gastric, pig, isolation and characterization of the glycoproteins of the water-soluble mucus from (Snary, D. & Allen, A.) 845
Mucus, water-soluble, isolation and characterization of the glycoproteins of, from pig gastric cardiac mucosa (Snary, D. & Allen, A.) 845
Muscle, skeletal, rabbit, characterization and properties of the inhibitory factor (troponin B) of myofibrils from (Schaub, M. C. & Perry, S. V.) 367
Muscle, skeletal, rabbit, irreversible inactivation of triose phosphate isomerase from, by the reaction of glycidol phosphate with a glutamic acid residue at the active site (Miller, J. C. & Waley, S. G.) 163
Muscle, skeletal, rat, intact preparation of, suitable for studies of the metabolic effects of electrical stimulation (Fern, E. B., Pain, V. M. & Manchester, K. L.) 45P
Muscle, trout, amino acid sequences around four cysteine residues in actin from (Bridgen, J.) 591
Myelin, human, amino acid sequence of the encephalitogenic protein from (Carnegie, P. R.) 57
Myelin, spinal-cord, ox, isolation and partial characterization of methyl derivatives of arginine from the encephalitogenic protein from (Baldwin, G. S. & Carnegie, P. R.) 69
Myelin, turnover of the phospholipids of, in adult and developing rat brain (Jungalwala, F. B. & Dawson, R. M. C.) 683
Myeloma MOPC 104E, mouse, production of intermediates and excess of light chain during the biosynthesis of immunoglobulin M in (Parkhouse, R. M. E.) 635
Myeloma MOPC 104E, mouse, role of the reversible blockage of thiol groups in the control of the assembly of immunoglobulin M from intracellular 7S subunits in (Askonas, B. A. & Parkhouse, R. M. E.) 629
Myeloma protein, human, amino acid sequence of a κ-type light chain of (Milstein, C. P. & Deverson, E. V.) 945
Myofibrils, characterization and properties of the inhibitory factor (troponin B) of, from rabbit skeletal muscle (Schaub, M. C. & Perry, S. V.) 367

Neurohypophysis, ox, proteinase and ribonuclease activities in (Pickup, J. C. & Hope, D. B.) 153
Neutral proteinase, *see* Proteinase, neutral
Nicotinamide nucleotides, concentrations of, in a rabbit liver system *in situ* (Williams, J. F., Rienits, K. G. & Clark, M. G.) 915
Nitrate, effects of, on catecholamine fluxes and adenosine triphosphatase activity in catecholamine-storage vesicles from ox adrenal-gland medulla (Taugner, G.) 219
p-Nitrophenol, sulphurylation of, by a specific phenol sulphotransferase from rat liver (McEvoy, F. A. & Carroll, J.) 901
p-Nitrophenol, thiol-dependent changes in the properties of two aryl sulphotransferases from rat liver catalysing the sulphation of (Barford, D. J. & Jones, J. G.) 427
Nitrous acid, formation of fluorescent derivatives of 4-hydroxyphenethylamine (tyramine), 4-hydroxy-3-methoxyphenethylamine (3-methoxytyramine) and related compounds by reaction with hydrazine in the presence of (Scott, P. H.) 977
Nuclei, cerebral, chick, synthesis and decay of histone fractions and of deoxyribonucleic acid in, during development (Bondy, S. C.) 465
Nuclei, heart, cardiomyopathic-hamster, deoxyribonucleic acid-dependent ribonucleic acid polymerase activity in (Bester, A. J.) 675
Nuclei, liver, rat, isolated, effect of starvation on the methylation of newly synthesized ribonucleic acid by (Rickwood, D. & Klemperer, H. G.) 731
Nuclei, thymus-gland, calf, purified, acid deoxyribonuclease activity in (Slor, H. & Lev, T.) 993
Nuclei, ventral-prostate-gland, rat, properties of solubilized deoxyribonucleic acid-dependent ribonucleic acid polymerases from (Mainwaring, W. I. P., Mangan, F. R. & Peterken, B. M.) 619
Nucleic acids, chromatography of digests of, on thin layers of cellulose impregnated with polyethyleneimine (Southern, E. M. & Mitchell, A. R.) 613

Octaprenyl side chain, evidence for the addition of, to 4-hydroxybenzoate in the biosynthesis of ubiquinone in *Escherichia coli* K12 (Hamilton, J. A. & Cox, G. B.) 435
[^{3}H]Oestradiol-17β, effect of a high-ethanol and choline-deficient diet on the metabolism of, *in vitro* by subcellular fractions of male rat liver (Beary, M. E. & French, S.) 43P
Oestradiol-17β, focal point of the primary action of, on the lysosomal membrane complex of rat preputial gland and uterus (Szego, C. M., Seeler, B. J., Steadman, R. A., Hill, D. F., Kimura, A. K. & Roberts, J. A.) 523
Oestrogens, focal point of the primary action of, on the lysosomal membrane complex of rat preputial gland and uterus (Szego, C. M., Seeler, B. J., Steadman, R. A., Hill, D. F., Kimura, A. K. & Roberts, J. A.) 523
Oestrone [^{35}S]sulphate, sodium, metabolism of, in the rat (Dolly, J. O., Curtis, C. G., Dodgson, K. S. & Rose, F. A.) 261
Olfactory receptor mechanisms, studies on (Dodd, G. H.) 31P
Oligodeoxyribonucleotides, chromatography of, on thin layers of cellulose impregnated with polyethyleneimine (Southern, E. M. & Mitchell, A. R.) 613
Oligoribonucleotides, chromatography of, on thin layers of cellulose impregnated with polyethyleneimine (Southern, E. M. & Mitchell, A. R.) 613
Oligosaccharide units, composition of, of a human type L macroglobulin (Johnson, I. & Clamp, J. R.) 739
Ovary, effect of vitamin A status on the content of some steroids in, of pregnant rats (Ganguly, J., Pope, G. S., Thompson, S. Y., Toothill, J., Edwards-Webb, J. D. & Waynforth, H. B.) 669
Ovary, rat, superovulated, compartmentation of cholesterol and cholesteryl esters in (Flint, A. P. F. & Armstrong, D. T.) 143
Ovomucoid, isolation from chicken eggs of variants of, differing in carbohydrate composition (Beeley, J. G.) 399

Palmitic acid, role of the plasma membrane in the uptake of, by isolated rat liver parenchymal cells (Wright, J. D. & Green, C.) 837

Pancreas, effects of glucose and other modifiers of insulin release on the oxidative metabolism of amino acids in micro-dissected islets of Langerhans from, from obese–hyperglycaemic mice (Hellman, B., Sehlin, J. & Täljedal, I.-B.) 513
Parotid gland, human, purification and partial characterization of four proteins from saliva from (Bennick, A. & Connell, G. E.) 455
Pea (*Pisum sativum*), molecular integrity of ribosomal ribonucleic acid of chloroplasts from leaves of (Leaver, C. J. & Ingle, J.) 235
Penicillinase, characterization of, specified by the resistance factor R-1818 in *Escherichia coli* K12 and other Gram-negative bacteria (Dale, J. W.) 501
Penicillinase, purification and properties of, specified by the resistance factor R-1818 in *Escherichia coli* and *Proteus mirabilis* (Dale, J. W. & Smith, J. T.) 493
Penicillinases, relationships between, specified by episomal R-factors and by chromosomes in Gram-negative bacteria (Dale, J. W. & Smith, J. T.) 507
Pentose phosphate pathway, importance of, for D-glucose catabolism in the obligatory aerobic yeast *Rhodotorula gracilis* (Höfer, M., Brand, K., Deckner, K. & Becker, J.-U.) 855
Pentose phosphate pathway, metabolic sequence and quantitative role of, in a rabbit liver system *in situ* (Williams, J. F., Rienits, K. G., Schofield, P. J. & Clark, M. G.) 923
Pentose phosphate pathway, system for the study of, in rabbit liver *in situ* (Williams, J. F., Rienits, K. G. & Clark, M. G.) 915
Pepsin C, pig, irreversible inactivation of, by the reaction of diazoacetyl-DL-norleucine methyl ester with the β-carboxyl group of an aspartic acid residue at the active site (Kay, J. & Ryle, A. P.) 75
Peptidases, cleavage of glycine-containing peptides by, in *Escherichia coli* (Payne, J. W.) 245
Peptidases, cleavage of peptides containing *N*-terminal proline by, in *Escherichia coli* (Payne, J. W.) 255
Peptide chains, role of cholesteryl 14-methylhexadecanoate in the activity of the factors required for the elongation of, during protein synthesis in mammalian tissues (Hradec, J., Dušek, Z., Bermek, E. & Matthaei, H.) 959
Peptides, intracellular, three, isolation and nature of, from a cephalosporin C-producing *Cephalosporium* sp. (Loder, P. B. & Abraham, E. P.) 471
Peptides, modifications of, containing *C*-terminal D-alanyl-D-alanine that affect complex-formation with vancomycin (Nieto, M. & Perkins, H. R.) 789
Peptides, requirement for the protonated α-amino group for the transport of, in *Escherichia coli* (Payne, J. W.) 245
Peptides, three, biosynthesis of, containing α-aminoadipic acid and cysteine in extracts of a cephalosporin C-producing *Cephalosporium* sp. (Loder, P. B. & Abraham, E. P.) 477
Peptides, utilization of, containing *N*-terminal proline by *Escherichia coli* (Payne, J. W.) 255
pH, effects of, on the simplest steady-state enzyme systems (Ottolenghi, P.) 445
Phage, *see* Bacteriophage
Phaseolus vulgaris, *see* Bean, French
Phenol oxidase, activity of, in the larva of the blowfly *Calliphora erythrocephala* (Price, G. M. & Hughes, L.) 21P
Phenol sulphotransferase, specific, purification and properties of, from rat liver (McEvoy, F. A. & Carroll, J.) 901
Phenols, isoprenoid, and quinones as precursors of ubiquinones and dihydroubiquinones in fungi (Ah Law, Threlfall, D. R. & Whistance, G. R.) 331
Phenylalanine hydroxylase, heterotropic co-operative effects between amino acid substrates of (Coulson, W. F. & Hughes, C. M.) 22P
Phloem, isolation and some properties of a factor causing gelling in the sieve-tube exudate from, of the squash plant (*Cucurbita pepo*) (Walker, T. S.) 6P
Phosphatase, alkaline, comparison of the properties of, from sporulating cells and vegetative cells of *Bacillus subtilis* 168 (Glenn, A. R. & Mandelstam, J.) 129
Phosphatase, alkaline, properties and factors influencing the activity of, in rat heart (Müller, E., Pearse, A. G. E. & Moss, D. W.) 895
Phosphatidic acid, turnover of, of myelin in adult rat brain (Jungalwala, F. B. & Dawson, R. M. C.) 683
Phosphatidylcholine, reactivation by, of the phospholipase A-inactivated uridine diphosphate glucuronyltransferase activity of guinea-pig liver microsomal membrane (Attwood, D., Graham, A. B. & Wood, G. C.) 875
Phosphatidylcholine, turnover of, of myelin in adult and developing rat brain (Jungalwala, F. B. & Dawson, R. M. C.) 683
Phosphatidylcholine, uptake and incorporation of fatty acids into, by isolated rat liver parenchymal cells (Wright, J. D. & Green, C.) 837
Phosphatidylethanolamine, catabolism of, by *Entodinium caudatum* and its conversion into the *N*-(1-carboxyethyl) derivative (Coleman, G. S., Kemp, P. & Dawson, R. M. C.) 97
Phosphatidylethanolamine, turnover of, of myelin in adult and developing rat brain (Jungalwala, F. B. & Dawson, R. M. C.) 683
Phosphatidylinositol, metabolism of, in pig thyroid gland (Jungalwala, F. B., Freinkel, N. & Dawson, R. M. C.) 19
Phosphatidylinositol, turnover of, of myelin in adult rat brain (Jungalwala, F. B. & Dawson, R. M. C.) 683
Phosphatidylserine, turnover of, of myelin in adult and developing rat brain (Jungalwala, F. B. & Dawson, R. M. C.) 683
Phosphoenolpyruvate carboxykinase, role of, in the regulation of gluconeogenesis in rat kidney (Hems, D. A. & Brosnan, J. T.) 391
Phosphoenolpyruvate carboxylase, subcellular distribution and response to acidosis of the activity of, in kidney of various species (Flores, H. & Alleyne, G. A. O.) 35
Phosphoenolpyruvate, effects of metabolic acidosis and starvation on the content of, in rat kidney (Hems, D. A. & Brosnan, J. T.) 391
3-Phosphoglycerate, effects of metabolic acidosis and starvation on the content of, in rat kidney (Hems, D. A. & Brosnan, J. T.) 391
Phosphoglycerate kinase, role of, in the limitation of glycolysis in adenine-deficient *Escherichia coli* (Burton, K.) 585
Phospholipase A, reactivation by phospholipids and detergents of the uridine diphosphate glucuronyltransferase activity of guinea-pig liver microsomal membrane after inactivation by (Attwood, D., Graham, A. B. & Wood, G. C.) 875
Phospholipids, different effects of thymidine and 5-fluorouracil 2′-deoxyriboside on the biosynthesis of, in cultured P815Y mast cells (Bergeron, J. J. M.) 385
Phospholipids, reactivation by, of the phospholipase A-inactivated uridine diphosphate glucuronyltransferase activity of guinea-pig liver microsomal membrane (Attwood, D., Graham, A. B. & Wood, G. C.) 875
Phospholipids, turnover of, of myelin in adult and developing rat brain (Jungalwala, F. B. & Dawson, R. M. C.) 683
Phospholipids, uptake and incorporation of fatty acids into, by isolated rat liver parenchymal cells (Wright, J. D. & Green, C.) 837

Phospholipids, use of the fluorescent probe 1-anilinonaphthalene-8-sulphonate for the study of the role of, in the binding and metabolism of drugs by rat liver microsomal fraction (Eling, T. E. & DiAugustine, R. P.) 539
Photo-oxidation, inhibition of ox liver L-glutamate dehydrogenase by, in the presence of Rose Bengal (Tudball, N. & Thomas, P.) 421
Phytoene, biosynthesis and desaturation of, in plants (Goodwin, T. W.) 293
Phytosterols, biosynthesis and metabolism of, in plants and bacteria (Goodwin, T. W.) 293
Pine (*Pinus sylvestris*), molecular integrity of ribosomal ribonucleic acid of chloroplasts of leaves from (Leaver, C. J. & Ingle, J.) 235
Pinus sylvestris, *see* Pine
Pisum sativum, *see* Pea
Pituitary gland, anterior, ox, proteinase and ribonuclease activities in (Pickup, J. C. & Hope, D. B.) 153
Pituitary gland, posterior, ox, proteinase and ribonuclease activities in (Pickup, J. C. & Hope, D. B.) 153
Plasma-cell tumour MOPC 104E, mouse, production of intermediates and excess of light chain during the biosynthesis of immunoglobulin M in (Parkhouse, R. M. E.) 635
Plasma-cell tumour MOPC 104E, mouse, role of the reversible blockage of thiol groups in the control of the assembly of immunoglobulin M from intracellular 7S subunits in (Askonas, B. A. & Parkhouse, R. M. E.) 629
Plasma membrane, lymphocyte, pig, solubilization of, and fractionation of some of the components (Allan D. & Crumpton, M. J.) 967
Plasma membrane, role of, in the uptake of fatty acids by isolated rat liver parenchymal cells (Wright, J. D. & Green, C.) 837
Polyacryloylaminoacetaldehyde dimethylacetal, cross-linked, insolubilization of enzymes with (Epton, R., McLaren, J. V. & Thomas, T. H.) 21P
Polyethyleneimine, chromatography of digests of nucleic acids on thin layers of cellulose impregnated with (Southern, E. M. & Mitchell, A. R.) 613
Poly-β-hydroxybutyrate, role and regulation of the biosynthesis of, in *Azotobacter beijerinckii* (Senior, P. J. & Dawes, E. A.) 29P
Polymorphonuclear leucocytes, *see* Leucocytes, polymorphonuclear
Polyribosomes, biosynthesis *in vitro* of tryptophanase by, from induced cultures of *Escherichia coli* M.R.E. 600 (Khairul Bashar, S. A. M., Parish, J. H. & Brown, M.) 355
Polyribosomes, protein-synthesizing activity of, isolated from the mammary gland of lactating and pregnant guinea pigs (Fairhurst, E., McIlreavy, D. & Campbell, P. N.) 865
Polysomes, *see* Polyribosomes
Potassium ions, effects of, on the biosynthesis of intracellular and extracellular serum albumin in rat liver (Judah, J. D. & Nicholls, M. R.) 649
Potassium ions, stimulation by, of the oxidation of pyruvate by rat cerebral-cortex mitochondria *in vitro* (Nicklas, W. J., Clark, J. B. & Williamson, J. R.) 83
Pregnancy, effect of vitamin A status on the content of some steroids in rat ovary during (Ganguly, J., Pope, G. S., Thompson, S. Y., Toothill, J., Edwards-Webb, J. D. & Waynforth, H. B.) 669
Pregnancy, protein-synthesizing activity of ribosomes isolated from guinea-pig mammary gland during (Fairhurst, E., McIlreavy, D. & Campbell, P. N.) 865
Pregnenolone, effect of vitamin A status on the content of, in the ovary of pregnant rats (Ganguly, J., Pope, G. S., Thompson, S. Y., Toothill, J., Edwards-Webb, J. D. & Waynforth, H. B.) 669
Preputial gland, rat, focal point of primary steroid hormone action on the lysosomal membrane complex of (Szego, C. M., Seeler, B. J., Steadman, R. A., Hill, D. F., Kimura, A. K. & Roberts, J. A.) 523
Progesterone, compartmentation of cholesterol and cholesteryl esters and the biosynthesis of, in superovulated rat ovary (Flint, A. P. F. & Armstrong, D. T.) 143
Progesterone, effect of vitamin A status on the content of, in the ovary of pregnant rats (Ganguly, J., Pope, G. S., Thompson, S. Y., Toothill, J., Edwards-Webb, J. D. & Waynforth, H. B.) 669
Progesterone, transformation of, into 17-hydroxyprogesterone and androgens by an extract of rat testis microsomal fraction (Ford, H. C. & O'Donnell, V. J.) 105
Proline, *N*-terminal, utilization of peptides containing, by *Escherichia coli* (Payne, J. W.) 255
Promethazine, inhibition by, of the stimulatory effect of carbon tetrachloride on lipid peroxidation in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 823
Propyl gallate, inhibition by, of the stimulatory effect of carbon tetrachloride on lipid peroxidation in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 823
Prostate gland, human, normal and hyperplastic, dynamics of the uptake and metabolism of androgens by (Giorgi, E. P., Stewart, J. C., Grant, J. K. & Scott, R.) 41
Prostate gland, ventral, rat, properties of solubilized deoxyribonucleic acid-dependent ribonucleic acid polymerases from (Mainwaring, W. I. P., Mangan, F. R. & Peterken, B. M.) 619
Protease, *see* Proteinase
Protein, different effects of thymidine and 5-fluorouracil 2′-deoxyriboside on the biosynthesis of, in cultured P815Y mast cells (Bergeron, J. J. M.) 385
Protein, encephalitogenic, amino acid sequence of, from human myelin (Carnegie, P. R.) 57
Protein, encephalitogenic, isolation and partial characterization of methyl derivatives of arginine from, from ox spinal-cord myelin (Baldwin, G. S. & Carnegie, P. R.) 69
Protein, further characterization of, promoting aggregation of retina cells (Creaser, E. H. & Russell, L. M.) 127
Protein, influence of the intracellular concentration of sodium ions on the uptake of L-[^{14}C]valine and its subsequent incorporation into, by chopped tissue from guinea-pig cerebral cortex (Jones, C. T. & Banks, P.) 341
Protein, molecular specificity associated with alleviation of actinomycin D inhibition of the biosynthesis of, in *Pseudomonas fluorescens* NND (Durham, N. N. & Ferguson, D. V.) 291
Protein, myeloma, human, amino acid sequence of a κ-type light chain of (Milstein, C. P. & Deverson, E. V.) 945
Protein, role of cholesteryl 14-methylhexadecanoate in the activity of the factors required for the elongation of peptide chains during the synthesis of, in mammalian tissues (Hradec, J., Dušek, Z., Bermek, E. & Matthaei, H.) 959
Protein SCMKB-IIIB3, amino acid sequence of, isolated from reduced Merino wool (Haylett, T., Swart, L. S. & Parris, D.) 191
Protein SCMKB-IIIB4, amino acid sequence of, isolated from reduced Merino wool (Swart, L. S. & Haylett, T.) 201
Protein, synthesis of, by ribosomes isolated from the mammary gland of lactating and pregnant guinea pigs (Fairhurst, E., McIlreavy, D. & Campbell, P. N.) 865
Proteinase, acid, activity of, in ox anterior and posterior pituitary glands (Pickup, J. C. & Hope, D. B.) 153

Proteinase, alkaline, activity of, in ox anterior and posterior pituitary glands (Pickup, J. C. & Hope, D. B.) 153
Proteinase, mast-cell-granule, rat, observations on (Lloyd, A. G., Morrison, T. & Elmore, D. T.) 42P
Proteinase, neutral, characterization of, from rabbit polymorphonuclear-leucocyte lysosomes (Davies, P., Rita, G. A., Krakauer, K. & Weissmann, G.) 559
Proteinases, comparative studies on, from rat mast-cell granules and ox liver capsule (Lloyd, A. G., Morrison, T. & Elmore, D. T.) 43P
Protein–polysaccharide, cartilage, use of immunoinhibition to confirm a role of cathepsin D in the breakdown of (Dingle, J. T., Barrett, A. J. & Weston, P. D.) 1
Protein–polysaccharides, extraction of, associated with collagen from pig articular cartilage (Brandt, K. D. & Muir, H.) 747
Proteins, computer analysis of mixtures of, on the basis of their total amino acid compositions (Sheldrick, B.) 996
Proteins, four, purification and partial characterization of, from human parotid saliva (Bennick, A. & Connell, G. E.) 455
Proteins, non-haem iron, possibility that vitamin E protects from oxidation the selenide that may form part of the active centre of an uncharacterized class of (Diplock, A. T., Baum, H. & Lucy, J. A.) 721
Proteins, retinol-binding, nature and properties of (Kirby, W., White, G. & Glover, J.) 31P
Proteins, ribosomal, ^{35}S-labelled, 'fingerprinting' studies on, of HeLa and other mammalian cells (Shepherd, J. & Maden, B. E. H.) 35P
Proteins, wheat-flour, reaction of malonaldehyde with (Taggart, J.) 4P
Proteoglycan, *see* Protein–polysaccharide
Proteus mirabilis, purification and properties of the β-lactamase specified by the resistance factor R-1818 in (Dale, J. W. & Smith, J. T.) 493
Protoplasts, isolation of, from plant roots and their use in the separation of subcellular components (Williamson, F. A. & Jones, R. G. W.) 4P
Protoplasts, spontaneously fused, preparation and culture of, from tobacco leaf spongy mesophyll (Power, J. B., Frearson, E. M. & Cocking, E. C.) 29P
Pseudomonas AM1, spectral and kinetic properties of the amine dehydrogenase obtained from, grown on methylamine (Eady, R. R. & Large, P. J.) 757
Pseudomonas fluorescens NND, molecular specificity associated with alleviation of actinomycin D inhibition of protein biosynthesis in (Durham, N. N. & Ferguson, D. V.) 291
Pseudomonas spp., two, transport of citrate and other tricarboxylic acids by (Lawford, H. G. & Williams, G. R.) 571
Pteroyl-L-glutamate, urinary excretion of folates after oral administration of, to the rat (Blair, J. A. & Dransfield, E.) 907
Pyridoxal, possible involvement of a derivative of, in the activity of the amine dehydrogenase obtained from methylamine-grown *Pseudomonas* AM1 (Eady, R. R. & Large, P. J.) 757
Pyrimidine tracts, chromatography of, of digests of deoxyribonucleic acids on thin layers of cellulose impregnated with polyethyleneimine (Southern, E. M. & Mitchell, A. R.) 613
Pyruvate dehydrogenase, epididymal-fat-pad, rat, effects of insulin and adrenaline on (Coore, H. G., Denton, R. M., Martin, B. R. & Randle, P. J.) 38P
Pyruvate dehydrogenase, properties of, from fat-cell mitochondria and its hormonal control (Denton, R. M., Martin, B. R., Coore, H. G. & Randle, P. J.) 39P
Pyruvate, effects of, on the oxidative metabolism of amino acids in micro-dissected pancreatic islets of Langerhans from obese–hyperglycaemic mice (Bellman, B., Sehlin, J. & Täljedal, I.-B.) 513
Pyruvate, stimulation by potassium ions of the oxidation of, by rat cerebral-cortex mitochondria *in vitro* (Nicklas, W. J., Clark, J. B. & Williamson, J. R.) 83

Quinones, isoprenoid, and phenols as precursors of ubiquinones and dihydroubiquinones in fungi (Ah Law, Threlfall, D. R. & Whistance, G. R.) 331

Radish (*Raphanus sativus*), molecular integrity of ribosomal ribonucleic acid of chloroplasts from cotyledons of (Leaver, C. J. & Ingle, J.) 235
Rainbow trout (*Salmo gairdneri*), effect of temperature acclimatization on the activities of isocitrate dehydrogenase isoenzymes in the liver of (Moon, T. W. & Hochachka, P. W.) 695
Raphanus sativus, *see* Radish
Red blood cells, *see* Erythrocytes
Resistance factor R-1818, characterization of the β-lactamase specified by, in *Escherichia coli* K12 and other Gram-negative bacteria (Dale, J. W.) 501
Resistance factor R-1818, purification and properties of the β-lactamase specified by, in *Escherichia coli* and *Proteus mirabilis* (Dale, J. W. & Smith, J. T.) 493
Resistance factors R-7268 and R-TEM, relationships between β-lactamases specified by chromosomes and by, in Gram-negative bacteria (Dale, J. W. & Smith, J. T.) 507
Respiratory control, changes in, in chick-embryo liver mitochondria during development (Pollak, J. K. & Woog, M.) 347
Reticulum, endoplasmic, effects of lipid peroxidation on the activities of membrane-bound enzymes of, in rat liver microsomal fraction (Wills, E. D.) 983
Reticulum, endoplasmic, involvement of interaction sites in, in the stimulatory effect of carbon tetrachloride on lipid peroxidation in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 815
Retina cells, further characterization of a protein promoting aggregation of (Creaser, E. H. & Russell, L. M.) 127
Rhodotorula gracilis, importance of the pentose phosphate pathway for D-glucose catabolism in (Höfer, M., Brand, K., Deckner, K. & Becker, J.-U.) 855
Ribonuclease, acid, activity of, in ox anterior and posterior pituitary glands (Pickup, J. C. & Hope, D. B.) 153
Ribonuclease, alkaline, activity of, in ox anterior and posterior pituitary glands (Pickup, J. C. & Hope, D. B.) 153
Ribonucleic acid, alkylated components in, of rat liver as a possible index of true biological turnover (Craig, A. W. & O'Connor, P. J.) 34P
Ribonucleic acid, changes in the nucleotide composition of, of flax cotyledons after inoculation with flax rust (Chakravorty, A. K. & Shaw, M.) 551
Ribonucleic acid, effects of injection route and rat weight on the stimulation by oestradiol-17β of the biosynthesis of, in immature rat uterus (Knowler, J. T. & Smellie, R. M. S.) 33P
Ribonucleic acid, newly synthesized, effect of starvation on the methylation of, by isolated rat liver nuclei (Rickwood, D. & Klemperer, H. G.) 731
Ribonucleic acid, 5S, number and location of genes for, within the genome of the fruitfly (*Drosophila melanogaster*) (Quincey, R. V.) 227
Ribonucleic acid polymerase, deoxyribonucleic acid-dependent, activity of, in cardiomyopathic-hamster heart nuclei (Bester, A. J.) 675

Ribonucleic acid polymerase, deoxyribonucleic acid-dependent, location of aromatic amino acid residues and the helix content of the molecule of, from *Escherichia coli* (Nicholson, B. H.) 117
Ribonucleic acid polymerases, deoxyribonucleic acid-dependent, solubilized, properties of, from rat ventral prostate gland (Mainwaring, W. I. P., Mangan, F. R. & Peterken, B. M.) 619
Ribonucleic acid, ribosomal, 28S, ^{3}H-labelled, determination of the relative amounts of deoxyribonucleic acid from the nucleolar organizer region in preparations of deoxyribonucleic acid from wild-type and mutant stocks of the fruitfly (*Drosophila melanogaster*) by hybridization with (Quincey, R. V.) 227
Ribonucleic acid, ribosomal, molecular integrity of, of chloroplasts from various species (Leaver, C. J. & Ingle, J.) 235
Ribonucleic acid, ribosomal, precursor, effect of starvation on the biosynthesis of (Rickwood, D. & Klemperer, H. G.) 731
Ribonucleic acid, separation of, from immature rat uterus on polyacrylamide gels and the effect of oestradiol-17β (Knowler, J. T. & Smellie, R. M. S.) 33P
Ribonucleic acid, use of methylation by isolated rat liver nuclei as a means of characterizing, synthesized *in vitro* (Rickwood, D.) 36P
Ribonucleic acids, chromatography of digests of, on thin layers of cellulose impregnated with polyethyleneimine (Southern, E. M. & Mitchell, A. R.) 613
Ribonucleic acids, pattern of synthesis of different species of, under the action of spermine in the chick embryo (Barbiroli, B., Corti, A. & Caldarera, C. M.) 123
Ribonucleic acids, ribosomal and nucleolar, studies on the methylated regions of, of HeLa cells (Salim, M., Williamson, R. & Maden, B. E. H.) 34P
[1-^{14}C]Ribose, concentrations and specific radioactivities of glucose and hexose monophosphates after the infusion of, in a rabbit liver system *in situ* (Williams, J. F., Rienits, K. G., Schofield, P. J. & Clark, M. G.) 923
Ribosomal ribonucleic acid, *see* Ribonucleic acid, ribosomal
Ribosomes, effects of amino acid starvation on the formation of, in HeLa cells (Maden, B. E. H.) 36P
Ribosomes, identification of, of the mitochondria of baby-hamster kidney cells (Coote, J. L., Rabbitts, T. H. & Work, T. S.) 279
Ribosomes, protein-synthesizing activity of, isolated from the mammary gland of lactating and pregnant guinea pigs (Fairhurst, E., McIlreavy, D. & Campbell, P. N.) 865
Rose Bengal, inhibition of ox liver L-glutamate dehydrogenase by photo-oxidation in the presence of (Tudball, N. & Thomas, P.) 421
Rumen, catabolism of phosphatidylethanolamine by *Entodinium caudatum* from, and its conversion into the *N*-(1-carboxyethyl) derivative (Coleman, G. S., Kemp, P. & Dawson, R. M. C.) 97

Salicylate, effects of, on the activity of rat liver tryptophan pyrrolase *in vitro* and *in vivo* (Badawy, A. A.-B. & Smith, M. J. H.) 171
Saliva, parotid, human, purification and partial characterization of four proteins from (Bennick, A. & Connell, G. E.) 455
Salmo gairdneri, *see* Rainbow trout
Selenium, effect of vitamin E status on the oxidation state of, in rat liver (Diplock, A. T., Baum, H. & Lucy, J. A.) 721
L-Serine *O*-sulphate, inhibition of ox liver L-glutamate dehydrogenase by, and related compounds (Tudball, N. & Thomas, P.) 421
Serum albumin, *see* Albumin, serum
Shikimate dehydrogenase, purification and properties of (Dowsett, J. R., Corbett, J. R., Middleton, B. & Tubbs, P. K.) 23P
Sialic acid, relationship between the content of, and the binding of calcium ions by mammalian erythrocytes (Long, C. & Mouat, B.) 829
Silver acetate, effect of the administration of, on the proportion of total selenium present as selenide in rat liver (Diplock, A. T., Baum, H. & Lucy, J. A.) 721
Skeletal muscle, *see* Muscle, skeletal
Sodium deoxycholate, use of, for the solubilization of pig lymphocyte plasma membrane (Allan, D. & Crumpton, M. J.) 967
Sodium ions, influence of the intracellular concentration of, on the uptake of L-[^{14}C]valine by chopped tissue from guinea-pig cerebral cortex (Jones, C. T. & Banks, P.) 341
Sodium oestrone [^{35}S]sulphate, metabolism of, in the rat (Dolly, J. O., Curtis, C. G., Dodgson, K. S. & Rose, F. A.) 261
Spermine, pattern of synthesis of ribonucleic acid species under the action of, in the chick embryo (Barbiroli, B., Corti, A. & Caldarera, C. M.) 123
Sphingomyelin, turnover of, of myelin in adult and developing rat brain (Jungalwala, F. B. & Dawson, R. M. C.) 683
Spinach (*Spinacia oleracea*), molecular integrity of ribosomal ribonucleic acid of chloroplasts from leaves of (Leaver, C. J. & Ingle, J.) 235
Spinacia oleracea, *see* Spinach
Spinal cord, ox, isolation and partial characterization of methyl derivatives of arginine from the encephalitogenic protein from myelin of (Baldwin, G. S. & Carnegie, P. R.) 69
Sporulation, appearance of sulpholactate as a marker event for, in *Bacillus subtilis* Marburg 168 (Wood, D. A.) 601
Sporulation, comparison of the properties of alkaline phosphatase from vegetative cells of *Bacillus subtilis* 168 with that produced during (Glenn, A. R. & Mandelstam, J.) 129
Starch, chemical derivatives of, and their industrial use (Barber, G. A.) 3P
Starch, control by light of the degradation of, and cell-wall biosynthesis in *Platymonas tetrathele* (Gooday, G. W.) 3P
Starch, some industrial aspects of the enzymic degradation of (Manners, D. J.) 1P
Starches, cereal and vegetable, chemistry and biochemistry of, in use (Colloquium) 1P
Starches, vegetable, aspects of the chemistry of (Greenwood, C. T.) 1P
Starfish (*Asterias rubens* and *Henricia sanguinolenta*), biosynthesis of sterols in (Smith, A. G. & Goad, L. J.) 671
Starvation, effect of, on the contents of intermediary metabolites in rat kidney (Hems, D. A. & Brosnan, J. T.) 391
Starvation, effect of, on the methylation of newly synthesized ribonucleic acid by isolated rat liver nuclei (Rickwood, D. & Klemperer, H. G.) 731
Steroid hormones, focal point of the primary action of, on the lysosomal membrane complex of rat preputial gland and uterus (Szego, C. M., Seeler, B. J., Steadman, R. A., Hill, D. F., Kimura, A. K. & Roberts, J. A.) 523
Sterols, biosynthesis of, in the starfish *Asterias rubens* and *Henricia sanguinolenta* (Smith, A. G. & Goad, L. J.) 671
Stomach, pig, isolation and characterization of the glycoproteins of the water-soluble mucus from the cardiac mucosa of (Snary, D. & Allen, A.) 845

Succinate, changes in the liver mitochondrial oxidation of, during exposure of rats to cold (Aithal, H. N. & Ramasarma, T.) 677
Succinate, effects of, on catecholamine fluxes and adenosine triphosphatase activity in catecholamine-storage vesicles from ox adrenal-gland medulla (Taugner, G.) 219
Succinate, effects of, on the oxidative metabolism of amino acids in micro-dissected pancreatic islets of Langerhans from obese–hyperglycaemic mice (Hellman, B., Schlin, J. & Täljedal, I.-B.) 513
[^{35}S]Sulphate, inorganic, excretion of, in urine of the rat after the administration of sodium oestrone [^{35}S]sulphate (Dolly, J. O., Curtis, C. G., Dodgson, K. S. & Rose, F. A.) 261
Sulpholactate, appearance of, as a marker event for sporulation in *Bacillus subtilis* Marburg 168 (Wood, D. A.) 601
Supernatant fraction, *see* Cytosol
Swisschard (*Beta vulgaris* var. *cicla*), molecular integrity of ribosomal ribonucleic acid of chloroplasts from leaves of (Leaver, C. J. & Ingle, J.) 235

Taurine, physiological role of (Kaczmarek, L. K. & Davison, A. N.) 45P
Teichoic acids, interaction of concanavalin A with (Archibald, A. R. & Coapes, H. E.) 665
Temperature, acclimatization, effect of, on the activities of isocitrate dehydrogenase isoenzymes in rainbow-trout liver (Moon, T. W. & Hochachka, P. W.) 695
Temperature, low, changes in the liver mitochondrial oxidation of succinate during exposure of rats to (Aithal, H. N. & Ramasarma, T.) 677
Testis, rat, transformation of progesterone into 17-hydroxyprogesterone and androgens by an extract of the microsomal fraction of (Ford, H. C. & O'Donnell, V. J.) 105
Testosterone, dynamics of the uptake and metabolism of, and other androgens by normal and hyperplastic human prostate gland *in vitro* (Giorgi, E. P., Stewart, J. C., Grant, J. K. & Scott, R.) 41
Testosterone, effects of, *in vivo* on the activities of deoxyribonucleic acid-dependent ribonucleic acid polymerases of (Mainwaring, W. I. P., Mangan, F. R. & Peterken, B. M.) 619
Testosterone, focal point of the primary action of, on the lysosomal membrane complex of rat preputial gland (Szego, C. M., Seeler, B. J., Steadman, R. A., Hill, D. F., Kimura, A. K. & Roberts, J. A.) 523
Testosterone, transformation of progesterone into androstenedione and, by an extract of rat testis microsomal fraction (Ford, H. C. & O'Donnell, V. J.) 105
Tetracycline, uptake of, by membrane preparations from *Escherichia coli* (Franklin, T. J.) 267
Thermolysin, hydrolysis by, of *N*-acetylated dipeptides containing *S*-substituted cysteine (Damoglou, A. P., Lindley, H. & Stapleton, I. W.) 379
Thiogalactoside transacetylase, effect of point mutations in the *lac* promoter on transient and severe repression of the synthesis of, in *Escherichia coli* (Yudkin, M. D.) 579
Thiol groups, amino acid sequences of four peptides containing, from trout actin (Bridgen, J.) 591
Thiol groups, dependence on the reversible oxidation of, of changes in the properties of two aryl sulphotransferases from rat liver (Barford, D. J. & Jones, J. G.) 427
Thiol groups, role of the reversible blockage of, in the control of the assembly of immunoglobulin M from intracellular 7S subunits in mouse plasma-cell tumour MOPC 104E (Askonas, B. A. & Parkhouse, R. M. E.) 629
Thiols, inhibition by, of a specific phenol sulphotransferase from rat liver (McEvoy, F. A. & Carroll, J.) 901
Thymidine, different effects of 5-fluorouracil 2′-deoxyriboside and, on biosynthetic events in cultured P815Y mast cells (Bergeron, J. J. M.) 385
Thymus gland, calf, acid deoxyribonuclease activity in purified nuclei from (Slor, H. & Lev, T.) 993
Thyroglobulin, pig, isolation and fractionation of glycopeptides from (Fukuda, M. & Egami, F.) 407
Thyroglobulin, pig, structure of a glycopeptide purified from (Fukuda, M. & Egami, F.) 415
Thyroid gland, pig, metabolism of phosphatidylinositol in (Jungalwala, F. B., Freinkel, N. & Dawson, R. M. C.) 19
Thyrotrophin, stimulation by, of phosphatidylinositol biosynthesis in pig thyroid gland (Jungalwala, F. B., Freinkel, N. & Dawson, R. M. C.) 19
α-Tocopherol, effect of, on the oxidation state of selenium in rat liver (Diplock, A. T., Baum, H. & Lucy, J. A.) 721
Tonsils, human, role of cholesteryl 14-methylhexadecanoate in the activity of peptide-elongation factors purified from (Hradec, J., Dušek, Z., Bermek, E. & Matthaei, H.) 959
Transcription, changes in the pattern of, of flax cotyledons after inoculation with flax rust (Chakravorty, A. K. & Shaw, M.) 551
Transferrin, serum, human, carboxymethylation of the imidazole groups of, saturated with iron (Bezkorovainy, A. & Grohlich, D.) 125
Tricarballylate, transport of, by *Pseudomonas fluorescens* (Lawford, H. G. & Williams, G. R.) 571
Tricarboxylic acid cycle, computer model of the metabolism of glutamate, glutamine, γ-aminobutyrate and, in mouse brain (Van den Berg, C. J. & Garfinkel, D.) 211
Tricarboxylic acid cycle, effects of metabolic acidosis and starvation on the contents of metabolites of, in rat kidney (Hems, D. A. & Brosnan, J. T.) 391
Tricarboxylic acids, transport of, by two *Pseudomonas* spp. (Lawford, H. G. & Williams, G. R.) 571
Triose phosphate isomerase, skeletal-muscle, rabbit, irreversible inactivation of, by the reaction of glycidol phosphate with a glutamic acid residue at the active site (Miller, J. C. & Waley, S. G.) 163
Triterpenes, biosynthesis of, in plants (Goodwin, T. W.) 293
Troponin A, molecular weight of, of myofibrils from rabbit skeletal muscle (Schaub, M. C. & Perry, S. V.) 367
Troponin B, characterization and properties of, of myofibrils from rabbit skeletal muscle (Schaub, M. C. & Perry, S. V.) 367
Tryptophan pyrrolase, effects of salicylate on the activity of, in rat liver *in vitro* and *in vivo* (Badawy, A. A.-B. & Smith, M. J. H.) 171
Tryptophan residues, location of, in the molecule of deoxyribonucleic acid-dependent ribonucleic acid polymerase from *Escherichia coli* (Nicholson, B. H.) 117
Tryptophanase, biosynthesis *in vitro* of, by polyribosomes from induced cultures of *Escherichia coli* M.R.E. 600 (Khairul Bashar, S. A. M., Parish, J. H. & Brown, M.) 355
Tyramine (4-hydroxyphenethylamine), formation of fluorescent derivatives of, and related compounds by reaction with hydrazine in the presence of nitrous acid (Scott, P. H.) 977
L-Tyrosine decarboxylase, partial purification and properties of, from barley roots (Gallon, J. R. & Butt, V. S.) 5P

L-Tyrosine methyl ester, thiol-dependent changes in the properties of two aryl sulphotransferases from rat liver catalysing the sulphation of (Barford, D. J. & Jones, J. G.) 427
Tyrosine residues, location of, in the molecule of deoxyribonucleic acid-dependent ribonucleic acid polymerase from *Escherichia coli* (Nicholson, B. H.) 117

Ubiquinone, accumulation of farnesylfarnesylgeraniol by a multiple aromatic auxotroph of *Escherichia coli* K12 and its relevance to the biosynthesis of (Hamilton, J. A. & Cox, G. B.) 435
Ubiquinones, isoprenoid phenol and quinone precursors of, and dihydroubiquinones in fungi (Ah Law, Threlfall, D. R. & Whistance, G. R.) 331
Uridine diphosphate glucuronyltransferase, reactivation by phospholipids and detergents of the phospholipase A-inactivated activity of, of guinea-pig liver microsomal membrane (Attwood, D., Graham, A. B. & Wood, G. C.) 875
Urine, compositions of the glycosaminoglycans isolated from, of subjects suffering from Hurler's syndrome, Hunter's syndrome and Morquio's syndrome (Dean, M. F., Muir, H. & Ewins, R. J. F.) 883
Urine, excretion of folates in, after oral administration of pteroyl-L-glutamate to the rat (Blair, J. A. & Dransfield, E.) 907
Urine, excretion of inorganic [^{35}S]sulphate in, after the administration of sodium oestrone [^{35}S]sulphate to the rat (Dolly, J. O., Curtis, C. G., Dodgson, K. S. & Rose, F. A.) 261
Uterus, rat, focal point of primary steroid hormone action on the lysosomal membrane complex of (Szego, C. M., Seeler, B. J., Steadman, R. A., Hill, D. F., Kimura, A. K. & Roberts, J. A.) 523

L-[^{14}C]Valine, influence of the intracellular concentration of sodium ions on the uptake of, by chopped tissue from guinea-pig cerebral cortex (Jones, C. T. & Banks, P.) 341
Vancomycin, modifications of peptides containing *C*-terminal D-alanyl-D-alanine that affect complex-formation with (Nieto, M. & Perkins, H. R.) 789
Vancomycin, physicochemical properties of, and its complex with *NN'*-diacetyl-L-lysyl-D-alanyl-D-alanine (Nieto, M. & Perkins, H. R.) 773
Vicia faba, *see* Bean, broad
Vitamin A status, effect of, on the content of some steroids in the ovary of pregnant rats (Ganguly, J., Pope, G. S., Thompson, S. Y., Toothill, J., Edwards-Webb, J. D. & Waynforth, H. B.) 669
Vitamin E, effects of, on the stimulatory effect of carbon tetrachloride on lipid peroxidation in rat liver fractions *in vitro* (Slater, T. F. & Sawyer, B. C.) 823
Vitamin E status, effect of, on the oxidation state of selenium in rat liver (Diplock, A. T., Baum, H. & Lucy, J. A.) 721

Walls, cell, *see* Cell walls
Warfarin, use of the fluorescent probe 1-anilinonaphthalene-8-sulphonate for the study of the role of phospholipids in the binding of, by rat liver microsomal fraction (Eling, T. E. & DiAugustine, R. P.) 539
Wool, Merino, reduced, amino acid sequence of protein SCMKB-IIIB3 isolated from (Haylett, T., Swart, L. S. & Parris, D.) 191
Wool, Merino, reduced, amino acid sequence of protein SCMKB-IIIB4 isolated from (Swart, L. S. & Haylett, T.) 201

Xanthophylls, biosynthesis of, in plants and bacteria (Goodwin, T. W.) 293

Yeast, baker's, slow transient kinetic process of hexokinase from (Shill, J. P. & Neet, K. E.) 283
Yeast (*Rhodotorula gracilis*), importance of the pentose phosphate pathway for D-glucose catabolism in (Höfer, M., Brand, K., Deckner, K. & Becker, J.-U.) 855
Yttrium ions, inhibition by, of the binding of calcium ions by human erythrocytes (Long, C. & Mouat, B.) 829

Zea mays, *see* Maize